

MY-HITE

COLLECTION



FRÍANT

ALL
WORKSTYLES
WELCOME

TABLE OF CONTENTS

INTRODUCTION

Terms and Conditions	4
Standard Fabrics	6
Pattern Direction	7
Standard Finishes	8

MY-HITE

Grommet Locations	9-14
Power Grommet	15
How to specify 2 piece tops	16
Mobile Pedestals	17
Flyp Screens	18
Freestanding Application	19
Workstation Application	20
Beam Application	21

3 STAGE SPECIFIC

Base Application & Electrical Draw	22
Trough Cover Dimension	23
Recommended Top Application	24
Recommended Anti-Sag Bar Application	25
Technical Specifications	26

2 STAGE SPECIFIC

Base Application & Electrical Draw	28
Understructure Dimensions	29
Recommended Top Application	30
Technical Specifications	31

BEAM

How to order Beam	75
Worksurface Planning Guide	77
Beam Elevation Height	78
Beam Creep	79
Data Port Plate	80

SPECIFY 3 STAGE BASE

Straight T-Leg	34
Straight C-Leg	35
Corner T-Leg	36
Corner C-Leg	37
Corner T-Leg Post	38
Corner C-Leg Post	39

SPECIFY 2 STAGE BASE

Straight T-Leg	41
Corner T-Leg	42

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular	44
Corner	45
90° Extended Curved Corner	46
Rectangular Extension	49
D-Shaped	51
Wedge	52
120° Corner / 90° Ends	53
120° Corner / 120° Ends	54

PRIVACY SCREENS

Modesty Panel, Laminate	55
Privacy Screen, Fabric	56
Privacy Screen, Marker Board	57
Privacy Screen, Laminate	58
Worksurface Mounted Screens, Clear	59
Worksurface Mounted Screens, Frosted	60
Worksurface Mounted Screens, Fabric	61
Flyp Screens	62

MOBILE PEDESTAL

Mobile Pedestal	63
Keyed Alike	64

MONITOR ARMS

Monitor Arms	65
--------------	----

TABLE POWER COMPONENTS

Power Grommet	66
Power Distribution	67

ACCESSORIES

Wire Manager	68
Mesh Wire Manager	68
Casters	68
Conversion Kit	68
Desk Mounted Power Unit	69

SHIELD FREESTANDING PANELS

Freestanding Laminate Panel, Feet	70
Freestanding Laminate Panel, Casters	71
Freestanding Markerboard Panel, Feet	72
Freestanding Markerboard Panel, Casters	73

SPECIFY BEAM

Beam Package with power & data cutouts	81
Beam Package without cutouts	82
Supporting Post - Inline & End of Run	83
Supporting Post - 2, 3, 4 Way	84
Laminate Insert Package	85
Gallery Panels	87
Base Cover, non-powered	89
Beam Package Top Caps	90
Electrical Distribution	91
Beam Mounted Screens	93

WORKSURFACES FOR USE WITH BEAM

Rectangular	95
Corner	96
90° Extended Curved Corner	97
Rectangular Extension	99
D-Shaped	100
Wedge	101
120° Corner / 90° Ends	102
120° Corner / 120° Ends	102

Terms and Conditions

PRICES

Pricing is delivered, freight included to 48 contiguous states. Specific requirements apply, minimum order required, see freight policy for details. See complete freight rules and policy on www.friant.com.

ORDERING

Purchase Orders should be sent to orders@friant.com or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA or Project Matrix, please send the worksheet (.SP4, or .SIF) with your Purchase Order.

TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

LEAD TIME

Lead times are subject to availability, see www.Friant.com for details.

SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE/CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

Terms and Conditions

CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application is non-directional. Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES

Warranty information for all Friant products can be found in the Dealer Resource Center (dealers.friant.com/warranty) or on the Friant website (www.friant.com/warranty)

CALIFORNIA PROP 65 WARNING

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to <https://www.p65warnings.ca.gov/products/furniture-products>."

CARB

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

TSCA TITLE VI

Friant products are TSCA Title VI Compliant

MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1-2011(2021) & e3-2024 Sect. 7.6.1, 7.6.2, 7.6.3

California Dept. Of Public Health Standard Method v1.2

Conforms With: LEED v4.1 & v5.0 ID+C, BD+C

Criteria of MAS Certified Green ® Program

Standard Fabrics

JOURNEY		TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-13	Mustard				
PF801-8	Wayfare			PF101-14	Avocado				
				PF101-15	Pumpkin				
				PF101-16	Ocean				
				PF101-17	Blueberry				
				PF101-18	Cardinal				
				PF101-19	Flamingo				
				PF101-20	Serenity				
				PF101-21	Azure				
				PF101-22	Orchid				
				PF101-23	Plum				
				PF101-24	Raven				

LIMITED AVAILABILITY

SLIDE		STICKS		PASSAGE	
PF101-4	Verde	PF501-3	Sage	PF601-8	Amber
PF101-6	Vintage				



Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.

NOTES:

- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens.
- Please refer to the Fabric Direction Section in the Materials Reference Guide on the Dealer Resource Center for more details: <http://dealers.friant.com/dealers/product-literature/>
- Order fabric / finish sample online at www.friant.com
- Colors may vary slightly between dye lots.

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products : <http://dealers.friant.com/dealers/product-literature/>
- Our Customer Success Team is happy to answer any questions regarding fabric direction.

Non - Directional Application Shown	Directional Application Shown
	

Standard Finishes

For matching edge PVC, please read across matrix.

WORKSURFACE LAMINATES		EDGE LAMINATES (3MM PVC)	
M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
M3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M6	Light Gray	E6	Light Gray
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M16	Tundra	E19	Tundra
M18	Capitan	E21	Capitan
M19	Fog	E22	Fog
M20	Sandstone	E23	Sandstone
M23	Bark	E26	Bark
M25	Winter	E28	Winter
M26	Storm	E29	Storm
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
M29	Raven	E32	Raven
M30	Barley	E33	Barley
M31	Camel	E34	Camel

Note: For other worksurface finish, please contact our Customs team

*Complimentary Edge Finishes	
E8	Black Umber
E11	Medium Tone
E12	Dark Tone
Complimentary edge finishes have no exact laminate match available	

Order samples at www.friant.com/samples

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

PAINT TRIM

- CW Cloud White
- BU Black Umber
- SV Silver

STANDARD GROMMET FINISHES

- CW Cloud White
- BU Black Umber
- SV Silver

POWER GROMMET FINISHES

- BA Brushed Aluminum
- BC Brushed Charcoal
- CW Cloud White

FOAM CUSHION

- Red
- Charcoal
- Café
- Grey

COLOR PEDESTAL TOP


- Green
- Blue
- Red

Grommet Locations, My-Hite Tops

1 Select a My-Hite worksurface

My-Hite tops (see page 44) offer optional grommets. (Please use the codes shown when specifying location of grommets). An upcharge of \$75 applies per grommet.

Choose



Specify Part #


FCCAHS-24366024R

Specify worksurface and edge

M16 Tundra
E19 Tundra

2a Select a grommet location, Rectangular Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.




CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
G1	Pair of grommets, GL and GR
G5	Three grommets, GL-GC-GR

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.

2b Select a grommet location, Extended Corner Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.




Left handed

Extended Corner, Left Handed

CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GCOR	Corner, 4" from Rear
GSR	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.



Right handed

Extended Corner, Right Handed


CODE	POSITION
GCOR	Corner, 4" from Rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
GSL	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.

Grommet Locations

2c Select a grommet location, D-Shaped Tops

Specify positioning by using the designated codes. Non-standard or multiple grommet locations must be quoted through Customs.




CODE	POSITION
GC	Centered from side to side - 4" from rear

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.

2d Select a grommet location, 120° Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.




CODE	POSITION
120GL	4" from left side - 4" from rear
120GCOR	Corner - 4" from rear
120GR	4" from right side - 4" from rear

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.

2e Select a grommet location, 90° Equal Corners

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.



CODE	POSITION
GSL	4" from left side - 4" from rear
GCOR	Corner - 4" from rear
GSR	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.
Grommets are 3" round with cover standard.

Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces (Contact factory for availability)

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 66. An upcharge of \$75 applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

1 Select a My-Hite worksurface





My-Hite worksurfaces (starting on page 44)

2 Select a power grommet notch cutout location

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.

CODE	POSITION
PG5L-C	11" from left side
PG5C-C	Centered
PG5R-C	11" from right side

Dimensions are measured from grommet center to top edge.




120° and 90° worksurfaces


CODE	POSITION (Specific to 120° and 90°)
PG5L-C	4.5" from left side
PG5R-C	4.5" from right side

Dimensions are measured from grommet center to top edge.

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces (Contact factory for availability)

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 66. An upcharge of \$75 applies for cutouts.

NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

1 Select a My-Hite worksurface





My-Hite worksurfaces (starting on page 44)

2 Select a power grommet interior cutout location

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.

CODE	POSITION
PG6L	11" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	11" from right side, 1.5" from back
PG5L	11" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	11" from right side, 1.5" from back

Dimensions are measured from grommet center to top edge.




120° and 90° worksurfaces


CODE	POSITION (Specific to 120° and 90°)
PG6L	4.5" from left side, 1.5" from back
PG6R	4.5" from right side, 1.5" from back
PG5L	4.5" from left side, 1.5" from back
PG5R	4.5" from right side, 1.5" from back

Dimensions are measured from grommet center to top edge.

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



Power Grommet (Contact factory for availability)

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet, finishes available on page 66 .


POWER GROMMETS

6x8


- (2) CAT6 Data Ports
- (4) Power Outlets
- (2) USB Ports

5x8

- (2) CAT6 Data Ports
- (3) Power Outlets
- (2) USB Ports




INCLUDES SPRING CORD
(Not shown) For connection to
power source




How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops

Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only). Specify the Rectangular Extension on page 99.

To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.



To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.




Mobile Pedestals

My-Hite pedestals are a compact storage option designed to fit under height adjustable tables at their lowest setting. Choose the color of the pedestal, and, as options, the color of the foam cushion and the color of the top cap. Pedestals include pencil tray, mail slot and keyed alike options for locks. Front to back file bars are included.

BOX/FILE MOBILE PEDESTAL

Top of pedestal is finished



MAIL SLOT


PENCIL TRAY

LOCKING

Keyed alike option is available. (page 63)

BOX/FILE PEDESTAL

Ships standard with (2) locking and (2) non-locking casters.



OPTIONAL FOAM CUSHION

Mobile pedestals can be topped with a foam cushion.

LOCKING


Keyed alike option is available.

FRONT TO BACK FILE BAR

ship standard.

Flyp Screens

Flyp screens are PET screens that mount to the underside of any worksurface. Screens are sold individually, and can be combined and configured in several ways.




FLYP SCREEN DIMENSIONS

Flyp screens are sized to match the width of **REDUCED SIZE TOPS**. When used with full sized tops, there is a gap. Flyp side screens are 23.5" wide, on 23" deep tops, the screen will overhang past the worksurface slightly. Please see below for dimensions.

	FPSFLYP.2246	FPSFLYP.2258	FPSFLYP.2270
A	46"	58"	70"

FPSFLYP.2224




Freestanding Application Example of My-Hite

As a Standalone

- Order Base (page 34)
- Order Top (page 44)

Note: Dimensions are actual for standalone tops



Freestanding Workstation Example

- **Base:** FSQAHBT-24-3

3 stage base range 24.5"-50", page 34

- **Worktop:** FSQAHT-2472

Rectangular worksurface, page 44

- **Privacy Screen:** FPSFLUSH.2472

Fabric covered privacy screen, page 56

- **Credenza:** FCREDSQAP.48L


Freestanding credenza, Novo Pricebook, page 82

Workstation Application Example of My-Hite (Interra)

As part of a Workstation

- Order Base (page 34 or 41)
- Order Top within System Pricebook
 - System 2 - Novo
 - Dash - Interra
 - Verity

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.



Interra Workstation Example:


- **Base:** FCNAHBT-24-3
3 stage base range 24.5"-50", page 36
- **Worksurface:** FIECCWS.29467029 L/R
Corner worksurface top only. For use with height adjustable base within workstation application - Interra Pricebook, page 70

Beam Application Example of My-Hite

With Beam Application

- Order Base (page 34 or 41)
- Order Top (page 95)

Note: Top size reduced 1" in depth and 2" in width to fit with beam application and prevent pinch points. See page 95. We do not recommend using full size worktops with beam application.




Beam Workstation Example:

- **Base:** Straight Base
3 stage base range 24.5"- 50", page 34
- **Worksurface:** FBRWS.2370
Straight worksurface top only. For use with height adjustable base within beam application.- page 95

Base Application — 3 stage

Worksurface depth



Electrical Draw of My-Hite — 3 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	-	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	360W	4.16 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	2.08 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	-	0 AMP

Electrostatic Discharge Rating - 3 stage

Base

Contact Discharge	±8kV
Air Discharge	±12kV



Display

Contact Discharge	±15kV
Air Discharge	±22kV


Trough Cover Dimensions — 3 stage

Fixed trough cover is 2.5" tall and 8" deep

T Style Base
72" wide tops shown





24" D top on 24"D base




30" D top on 24"D base

C Style Base
72" wide tops shown



24" D top on 24"D base




30" D top on 24"D base

Recommended Top Application — 3 stage


Corner Worksurfaces

1 120° Tops


NOTES: 120° corners - use straight base on 36" and 42" wide worksurfaces.
Use corner base on worksurfaces 48" or larger.



36" Top
(Straight Base)




42" Top
(Straight Base)




48" Top
(Corner Base)

2 90° Tops


NOTES 90° corners - straight base is an option for 48" worksurfaces only.
Use corner base on 42" or extended corners.



All Corner Tops, Min: 42"
(Corner Base)



48" Top Only
(Straight Base or Corner Base)
straight base shown





All Extended Corner Tops
(Corner Base)
72X72" top shown



Recommended Anti-Sag Bar Application — 3 Stage Corner Base

When specifying two piece corners, the tops should be oriented so that the seam is supported by the continuous part of the base (see page 16). For some 3 stage corner base applications, we recommend adding an anti-sag bar for additional support. Specify anti-sag bars on page 50

For a 66"W or 72"W top, order a **FWASB.42** anti-sag bar



For a 78"W or 84"W top, order a **FWASB.54** anti-sag bar



Technical Specifications — 3 Stage

Straight Legs

See pages 34-35

Display	Digital display with three programmable presets
Foot Length in inches	22" and 28" available for 24" and 30", 36" worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75" x 2.75"
Height range (excluding top)	24.5"- 50"
Frame width expansion	Width extendable 38"- 68" in 1 mm increments
Worksurface widths	42" - 84", See pages 44 to 54
Worksurface depths	24", 30" and 36", See pages 44 to 54
Power Cord Length	9'
Max lifting capacity	220 lbs
Base weight without top	62 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

Technical Specifications — 3 Stage


Corner

See pages 36 to 39

Display	Digital display with three programmable presets
Foot Length in inches	22" and 28" available for 24" and 30", 36" worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75" x 2.75"
Height range (excluding top)	24.5"- 50"
Frame width expansion	Width extendable 38"- 68" in 1 mm increments
Worksurface widths	42" - 84", See pages 44 to 54
Worksurface depths	24", 30" and 36", See pages 44 to 54
Power Cord Length	9'
Max lifting capacity	330 lbs
Base weight without top	90 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

Base Application — 2 stage

Worksurface depth





Electrical Draw of My-Hite — 2 stage


TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	400W	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	400W	3 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	1.5 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	.3W	0 AMP

Understructure Dimensions — 2 stage

2 Stage Base
72" wide tops shown



24" D top on 2 Stage




30" D top on 2 Stage base

Recommended Top Application — 2 stage


Certain sizes of My-Hite tops can be used with 2 stage bases. See below for additional information.

**Rectangular
(Straight Base)**




Depth: 23"/24", 29"/30"
Width: Min - 42" (no 40")
Max - 84"

**120° Corner
(Straight Base)**




Depth: 23"/24"
Width: Min - 36" (no 34")
Max - 40"/42"

**90° Corner
(Straight Base)**




Depth: 23"/24", 29"/30"
Width: Min - 46"/48" only

**Two Piece Rectangular
(Corner Base)**




Depth: 23"/24", 29"/30"
Width: Min - 48"x48"
Max - 84"x84"

**Two Piece Extended Curved
Corner (Corner Base)**



Depth: 23"/24", 29"/30"
Width: Min - 48"x48"
Max - 84"x84"

**120° Corner
(Corner Base)**



Depth: 23"/24"
Width: Min - 42"x42" (no 40")
Max - 72"x72"

Technical Specifications — 2 stage

Straight Legs

See page 41

Display	Digital display with four programmable presets
Foot Options	24" ONLY
Legs	T LEG
Leg Post Size	2.72" x 2.72"
Height range(excluding top)	27"- 45.5"
Frame width expansion	Width extendable 41"- 74" in 1mm increments
Worksurface widths	42"- 84"
Worksurface depths	24" - 30"
Max lifting capacity	260 lbs
Base weight without top	66 lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10' cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 YEARS

Technical Specifications for Bases - 2 stage

Corner Legs


See page 42

Display	Digital display with four programmable presets
Foot Options	24"
Legs	T LEG
Leg Post Size	2.72" x 2.72"
Height range(excluding top)	27"- 45.5"
Frame width expansion	L: 40"- 62" / R:40"- 62"
Worksurface widths	48" - 84"
Worksurface depths	24" - 30"
Max lifting capacity	330 lbs
Base weight without top	85lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10' cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 years

SPECIFY 3 STAGE

Straight T-Leg Base

3 stage




DESCRIPTION	SPECIFICATION OPTIONS
Electric height 3 stage adjustable base range 24.5"-50"	product #: see charts below base finish: page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Order worksurface separately• Base adjusts 38" to 68" wide• Maximum recommended top: 84"• Minimum recommended top: 40"• Weight load 220 lbs• Fixed trough cover - see page 23• Maximum recommended overhang of 12"	product #: FSQAHBT-24-3 base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHBT-24-3	24.5" - 50"	38"-68"	24"	\$1,652	<ul style="list-style-type: none">• Order 24" base for use with 30" deep worksurfaces• Order 30" base for use with 36" deep worksurfaces• Minimum worksurface width: 40"• Maximum recommended worksurface width: 84"• 120° corners - use straight base on 36" and 42" wide worksurfaces• 90° corners, equal or extended - use corner base, page 24 (exception: 90° 48" top uses straight base, see images)
FSQAHBT-30-3	24.5" - 50"	38"-68"	30"	\$1,652	

Straight C-Leg Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Order worksurface separately
- Base adjusts 38" to 68" wide
- Maximum recommended top: 84"
- Minimum recommended top: 40"
- Weight load 220 lbs
- Fixed trough cover - see page 23
- Maximum recommended overhang of 12"

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 8

ORDER EXAMPLE


product #: FSQAHBC-24-3
base finish: CW Cloud White

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHBC-24-3	24.5" - 50"	38"-68"	24"	\$1,652	<ul style="list-style-type: none"> • Order 24" base for use with 30" deep worksurfaces • Order 30" base for use with 36" deep worksurfaces • Minimum worksurface width: 40" • Maximum recommended worksurface width: 84" • 120° corners - use straight base on 36" and 42" wide worksurfaces • 90° corners, equal or extended - use corner base, page 24 (exception: 90° 48" top uses straight base, see images)
FSQAHBC-30-3	24.5" - 50"	38"-68"	30"	\$1,652	

Corner T-Leg Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Includes (3) T-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 34"-54"
A - 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 23
- Maximum recommended overhang of 12"

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 8

ORDER EXAMPLE


product #: FCNAHBT-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-3	24.5" - 50"	40"-68"	24"	\$2,375	<ul style="list-style-type: none">• Order 24" base for use with 30" deep worksurfaces• Order 30" base for use with 36" deep worksurfaces• 120° corners - use corner base on 48" wide worksurfaces• 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces• My-Hite bases are not for use with 36"x36" 90° corner worksurfaces• See page 24 for details
FCNAHBT-30-3	24.5" - 50"	40"-68"	30"	\$2,375	

Corner C-Leg Base

3 stage



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Includes (3) C-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 34"-54"
A - 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 23
- Maximum recommended overhang of 12"

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 8

ORDER EXAMPLE


product #: FCNAHBC-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBC-24-3	24.5" - 50"	40"-68"	24"	\$2,375	<ul style="list-style-type: none"> Order 24" base for use with 30" deep worksurfaces Order 30" base for use with 36" deep worksurfaces 120° corners - use corner base on 48" wide worksurfaces 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces My-Hite bases are not for use with 36"x36" 90° corner worksurfaces See page 24 for details
FCNAHBC-30-3	24.5" - 50"	40"-68"	30"	\$2,375	

Corner T-Leg Post Base

3 stage




DESCRIPTION	SPECIFICATION OPTIONS
Electric height 3 stage adjustable base range 24.5"-50"	product #: see charts below base finish: page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"> Includes (2) T-Leg bases at the ends and (1) Post Leg in the center Order worksurface separately Base is: B - 34"-54" A - 38"-68" Minimum recommended top: 34x40" Maximum recommended top: 72x96" or 84x84" Rebound function may loose sensitivity on larger tables Weight load 331 lbs Fixed trough cover - see page 23 Maximum recommended overhang of 12" 	product #: FCNPAHBT-24-3 base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNPAHBT-24-3	24.5" - 50"	40"-68"	24"	\$2,375	<ul style="list-style-type: none"> Order 24" base for use with 30" deep worksurfaces Order 30" base for use with 36" deep worksurfaces 120° corners - use corner base on 48" wide worksurfaces 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces My-Hite bases are not for use with 36"x36" 90° corner worksurfaces See page 24 for details
FCNPAHBT-30-3	24.5" - 50"	40"-68"	30"	\$2,375	

Corner C-Leg Post Base

3 stage



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Includes (2) C-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 34"-54"
A - 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 23
- Maximum recommended overhang of 12"

SPECIFICATION OPTIONS

product #: see charts below
base finish: see page 8

ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White


CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNPAHBC-24-3	24.5" - 50"	40"-68"	24"	\$2,375	<ul style="list-style-type: none"> Order 24" base for use with 30" deep worksurfaces Order 30" base for use with 36" deep worksurfaces 120° corners - use corner base on 48" wide worksurfaces 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces My-Hite bases are not for use with 36"x36" 90° corner worksurfaces See page 24 for details
FCNPAHBC-30-3	24.5" - 50"	40"-68"	30"	\$2,375	

SPECIFY 2 STAGE

Straight T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base
range 27"- 45.5"

NOTES

- Order worksurface separately
- Base adjusts 41" to 74" wide
- Maximum recommended top: 84"
- Minimum recommended top: 42"
- Weight load - 260 lbs
- Maximum recommended overhang of 12"

SPECIFICATION OPTIONS

product #: see below
base finish: page 8

ORDER EXAMPLE


product #: FSQAHBT-24-2
base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHBT-24-2	27"- 45.5"	41"-74"	24"	\$1,479	<ul style="list-style-type: none"> • Supports 24" to 30" deep tops • For use with rectangular worksurfaces, certain sizes of 120° corners or 90° corners • See recommended top application on pg 30

Corner T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base range 27"- 45.5"

NOTES

- Order Worksurface separately
- Base is:
A - 40" to 62"
B - 40" to 62"
- Minimum recommended top: 48"x48"
- Maximum recommended top: 84"x84"
- For tops 72"W and larger, we recommend adding extended support bars, see notes below
- See page 30 for recommended top applications
- Rebound function may loose sensitivity on larger tables
- Weight load 330 lbs
- Maximum recommended overhang of 12"
- Supports 90, 120 or 180 degree applications

SPECIFICATION OPTIONS

product #: see below
base finish: page 8

ORDER EXAMPLE

product #: FCNAHBT-24-2
base finish: SV Silver

CORNER BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-2	27"- 45.5"	40"-62"	24"	\$2,179	<ul style="list-style-type: none"> • For use with two piece curved corner or two piece rectangular worksurfaces • See recommended top application on pg 30

EXTENDED SUPPORT BARS

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHT.S2.LB				\$101	<ul style="list-style-type: none"> • Order extended support bars for corner tops 72"W - 84"W • For use with 2 stage corner base only • Sold in pairs • Order (1) pair per extended side, for example <ul style="list-style-type: none"> - 84"x60" corner would need (1) pair - 78"x78" corner would need (2) pairs

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular Freestanding Application




DESCRIPTION	SPECIFICATION OPTIONS
Laminate worksurface with 3mm PVC edge	product #: see charts below edge finish: see page 8 worksurface finish: see page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Tops are intended for freestanding applicationSee system pricebook for use inside a paneled workstationAdd grommet cutout (add \$75 list). Specify grommet placement (see page 9)	product #: FSQAHT.3054 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet location: GL grommet color: Cloud White

RECTANGULAR WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	LIST	NOTES
FSQAHT.2442	1 1/8"	24"	42"	\$392	<ul style="list-style-type: none">Sizes are actual . for example: FSQAHT.2448 is 23 7/8" x 47 7/8"Not recommended in paneled workstation applicationsTopsize not reduced to eliminate pinch points
FSQAHT.2448	1 1/8"	24"	48"	\$404	
FSQAHT.2454	1 1/8"	24"	54"	\$477	
FSQAHT.2460	1 1/8"	24"	60"	\$489	
FSQAHT.2466	1 1/8"	24"	66"	\$562	
FSQAHT.2472	1 1/8"	24"	72"	\$578	
FSQAHT.2478	1 1/8"	24"	78"	\$705	
FSQAHT.2484	1 1/8"	24"	84"	\$712	
FSQAHT.3042	1 1/8"	30"	42"	\$463	
FSQAHT.3048	1 1/8"	30"	48"	\$477	
FSQAHT.3054	1 1/8"	30"	54"	\$564	
FSQAHT.3060	1 1/8"	30"	60"	\$578	
FSQAHT.3066	1 1/8"	30"	66"	\$670	
FSQAHT.3072	1 1/8"	30"	72"	\$684	
FSQAHT.3078	1 1/8"	30"	78"	\$843	
FSQAHT.3084	1 1/8"	30"	84"	\$849	
FSQAHT.3642	1 1/8"	36"	42"	\$488	
FSQAHT.3648	1 1/8"	36"	48"	\$495	
FSQAHT.3654	1 1/8"	36"	54"	\$869	
FSQAHT.3660	1 1/8"	36"	60"	\$878	
FSQAHT.3666	1 1/8"	36"	66"	\$888	
FSQAHT.3672	1 1/8"	36"	72"	\$898	
FSQAHT.3678	1 1/8"	36"	78"	\$906	
FSQAHT.3684	1 1/8"	36"	84"	\$1,036	

Corner Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See System pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 9)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FCCAHS.2448
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet location: GL
grommet color: Cloud White


CORNER WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	LIST
FCCAHS.2442	11/8"	24"	42"	\$645
FCCAHS.2448	11/8"	24"	48"	\$682
FCCAHS.3042	11/8"	30"	42"	\$702
FCCAHS.3048	11/8"	30"	48"	\$737


NOTES

- Sizes are actual . for example: FCCAHS.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

90° Extended Curved Corner Freestanding Application



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 9)

SPECIFICATION OPTIONS

product #: see charts below

edge finish: see page 8

worksurface finish: see page 8

left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FCCAHS.24366024R

edge finish: E10 Espresso

worksurface finish: M11 Light Walnut

grommet location: PG5L-C

grommet color: Cloud White

24" D CONNECTING SIDE
24" D EXTENSION
36" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24366024L	11/8"	24"	36"	60"	24"	76	\$740
FCCAHS.24366024R	11/8"	24"	36"	60"	24"	76	\$740
FCCAHS.24366624L	11/8"	24"	36"	66"	24"	76	\$824
FCCAHS.24366624R	11/8"	24"	36"	66"	24"	76	\$824
FCCAHS.24367224L	11/8"	24"	36"	72"	24"	82	\$838
FCCAHS.24367224R	11/8"	24"	36"	72"	24"	82	\$838
FCCAHS.24367824L	11/8"	24"	36"	78"	24"	82	\$1,004
FCCAHS.24367824R	11/8"	24"	36"	78"	24"	82	\$1,004
FCCAHS.24368424L	11/8"	24	36"	84	24	104	\$1,114
FCCAHS.24368424R	11/8"	24	36"	84	24	104	\$1,114

30" D CONNECTING SIDE
30" D EXTENSION
36" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30366030L	11/8"	30"	36"	60"	30"	87	\$810
FCCAHS.30366030R	11/8"	30"	36"	60"	30"	87	\$810
FCCAHS.30366630L	11/8"	30"	36"	66"	30"	87	\$895
FCCAHS.30366630R	11/8"	30"	36"	66"	30"	87	\$895
FCCAHS.30367230L	11/8"	30"	36"	72"	30"	95	\$906
FCCAHS.30367230R	11/8"	30"	36"	72"	30"	95	\$906
FCCAHS.30367830L	11/8"	30"	36"	78"	30"	95	\$1,074
FCCAHS.30367830R	11/8"	30"	36"	78"	30"	95	\$1,074
FCCAHS.30368430L	11/8"	30"	36"	84	30"	112	\$1,180
FCCAHS.330368430R	11/8"	30"	36"	84	30"	112	\$1,180

**24" D CONNECTING SIDE
24" D EXTENSION
42" D**

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24426024L	1.25"	24"	42"	60"	24"	83	\$891
FCCAHS.24426024R	1.25"	24"	42"	60"	24"	83	\$891
FCCAHS.24426624L	1.25"	24"	42"	66"	24"	83	\$1,002
FCCAHS.24426624R	1.25"	24"	42"	66"	24"	83	\$1,002
FCCAHS.24427224L	1.25"	24"	42"	72"	24"	89	\$1,017
FCCAHS.24427224R	1.25"	24"	42"	72"	24"	89	\$1,017
FCCAHS.24427824L	1.25"	24"	42"	78"	24"	89	\$1,232
FCCAHS.24427824R	1.25"	24"	42"	78"	24"	89	\$1,232
FCCAHS.24428424L	1.25"	24	42"	84	24	104	\$1,376
FCCAHS.24428424R	1.25"	24	42"	84	24	104	\$1,376

**30" D CONNECTING SIDE
30" D EXTENSION
42" D**

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30426030L	1 1/8"	30"	42"	60"	30"	95	\$959
FCCAHS.30426030R	1 1/8"	30"	42"	60"	30"	95	\$959
FCCAHS.30426630L	1 1/8"	30"	42"	66"	30"	95	\$1,070
FCCAHS.30426630R	1 1/8"	30"	42"	66"	30"	95	\$1,070
FCCAHS.30427230L	1 1/8"	30"	42"	72"	30"	103	\$1,086
FCCAHS.30427230R	1 1/8"	30"	42"	72"	30"	103	\$1,086
FCCAHS.30427830L	1 1/8"	30"	42"	78"	30"	103	\$1,302
FCCAHS.30427830R	1 1/8"	30"	42"	78"	30"	103	\$1,302
FCCAHS.30428430L	1 1/8"	30"	42"	84	30"	112	\$1,444
FCCAHS.30428430R	1 1/8"	30"	42"	84	30"	112	\$1,444


**24" D CONNECTING SIDE
24" D EXTENSION
48" D**

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24486024L	1 1/8"	24"	48"	60"	24"	89	\$904
FCCAHS.24486024R	1 1/8"	24"	48"	60"	24"	89	\$904
FCCAHS.24486624L	1 1/8"	24"	48"	66"	24"	89	\$1,017
FCCAHS.24486624R	1 1/8"	24"	48"	66"	24"	89	\$1,017
FCCAHS.24487224L	1 1/8"	24"	48"	72"	24"	95	\$1,040
FCCAHS.24487224R	1 1/8"	24"	48"	72"	24"	95	\$1,040
FCCAHS.24487824L	1 1/8"	24"	48"	78"	24"	95	\$1,266
FCCAHS.24487824R	1 1/8"	24"	48"	78"	24"	95	\$1,266
FCCAHS.24488424L	1 1/8"	24	48"	84	24	112	\$1,420
FCCAHS.24488424R	1 1/8"	24	48"	84	24	112	\$1,420

30" D CONNECTING SIDE
30" D EXTENSION
48" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30486030L	1 1/8"	30"	48"	60"	30"	104	\$974
FCCAHS.30486030R	1 1/8"	30"	48"	60"	30"	104	\$974
FCCAHS.30486630L	1 1/8"	30"	48"	66"	30"	104	\$1,086
FCCAHS.30486630R	1 1/8"	30"	48"	66"	30"	104	\$1,086
FCCAHS.30487230L	1 1/8"	30"	48"	72"	30"	112	\$1,110
FCCAHS.30487230R	1 1/8"	30"	48"	72"	30"	112	\$1,110
FCCAHS.30487830L	1 1/8"	30"	48"	78"	30"	112	\$1,335
FCCAHS.30487830R	1 1/8"	30"	48"	78"	30"	112	\$1,335
FCCAHS.30488430L	1 1/8"	30"	48"	84"	30"	112	\$1,483
FCCAHS.30488430R	1 1/8"	30"	48"	84"	30"	112	\$1,483

Rectangular Extension Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 stage base only)


SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8

ORDER EXAMPLE


product #: FSQAHT.2424
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

STANDARD GRAIN




PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FSQAHT.2424	11/8"	24"	24"	\$308	<ul style="list-style-type: none"> Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8" Not recommended in paneled workstation applications Topsized not reduced to eliminate pinch points Standard default grain direction is left to right (See left)
FSQAHT.2430	11/8"	24"	30"	\$353	
FSQAHT.2436	11/8"	24"	36"	\$364	
FSQAHT.2442	11/8"	24"	42"	\$392	
FSQAHT.2448	11/8"	24"	48"	\$404	
FSQAHT.2454	11/8"	24"	54"	\$477	
FSQAHT.2460	11/8"	24"	60"	\$489	
FSQAHT.3024	11/8"	30"	24"	\$408	
FSQAHT.3030	11/8"	30"	30"	\$465	
FSQAHT.3036	11/8"	30"	36"	\$478	
FSQAHT.3042	11/8"	30"	42"	\$463	
FSQAHT.3048	11/8"	30"	48"	\$477	
FSQAHT.3054	11/8"	30"	54"	\$564	
FSQAHT.3060	11/8"	30"	60"	\$578	

CROSS GRAIN



PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FSQAHT.2430-CG	11/8"	24"	30"	\$422	<ul style="list-style-type: none"> Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8" Not recommended in paneled workstation applications Topsized not reduced to eliminate pinch points Cross grain direction is front to back (See left) For 24"x24" and 30"x30" cross grain tops, standard tops can be rotated 90 degrees
FSQAHT.2436-CG	11/8"	24"	36"	\$436	
FSQAHT.2442-CG	11/8"	24"	42"	\$470	
FSQAHT.2448-CG	11/8"	24"	48"	\$485	
FSQAHT.2454-CG	11/8"	24"	54"	\$572	
FSQAHT.2460-CG	11/8"	24"	60"	\$587	
FSQAHT.3024-CG	11/8"	30"	24"	\$490	
FSQAHT.3036-CG	11/8"	30"	36"	\$574	
FSQAHT.3042-CG	11/8"	30"	42"	\$556	
FSQAHT.3048-CG	11/8"	30"	48"	\$572	
FSQAHT.3054-CG	11/8"	30"	54"	\$676	
FSQAHT.3060-CG	11/8"	30"	60"	\$694	

FLAT BRACKET





PART #	WIDTH	DEPTH	LIST	NOTES
FVFB.08	8"	2"	\$40	<ul style="list-style-type: none">• Used to unite two worksurfaces supported by one base. See page 16.• Use a Flat Bracket pair to attach an Extended Curved Corner with a Rectangular Extension.• Sold in pairs• Black finish

ANTI-SAG BARS



PART #	WIDTH	LIST	NOTES
FWASB.42	42"	\$124	<ul style="list-style-type: none">• See application guide on page 25 for anti-sag bar use with 3-stage corner My-Hite bases• Anti-Sag bar, 42" wide with (8) screws. For use with 48 & 54" freestanding or panel-mounted worktops• Anti-Sag bar, 54" wide with (10) screws. For use with 60 & 66" freestanding or panel-mounted worktops• Anti-Sag bar, 66" wide with (12) screws. For use with 72 & 78" freestanding or panel-mounted worktops
FWASB.54	54"	\$158	
FWASB.66	66"	\$191	

D-Shaped Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 9)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FDAHT.2448
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: GC
grommet color: Cloud White


D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FDAHT.2448	11/8"	48"	24"	—	—	\$590
FDAHT.2460	11/8"	60"	24"	—	—	\$658
FDAHT.3048	11/8"	48"	30"	—	—	\$647
FDAHT.3060	11/8"	60"	30"	—	—	\$718
FDAHT.3072	11/8"	72"	30"	—	—	\$783
FDAHT.3672	11/8"	72"	36"	—	—	\$865

NOTES

- Sizes are actual - for example: FDAHT.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Power grommets not available on 48"W D-Tops.
- Topsize not reduced to eliminate pinch points

Wedge Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 9)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FWDAHT.244230
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White


24"D LEFT 30"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE	NOTES
FWDAHT.244230	11/8"	24"	42"	30"	—	\$458	<ul style="list-style-type: none"> • Sizes are actual - for example; FWDAHT-244230 is 23 7/8" x 41 7/8" x 29 7/8" • Not recommended in paneled workstation applications • Topsize not reduced to eliminate pinch points
FWDAHT.244830	11/8"	24"	48"	30"	—	\$466	
FWDAHT.245430	11/8"	24"	54"	30"	—	\$530	
FWDAHT.246030	11/8"	24"	60"	30"	—	\$567	
FWDAHT.246630	11/8"	24"	66"	30"	—	\$633	
FWDAHT.247230	11/8"	24"	72"	30"	—	\$647	
FWDAHT.247830	11/8"	24"	78"	30"	—	\$751	

30"D LEFT 24"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.304224	11/8"	30"	42"	24"	—	\$458
FWDAHT.304824	11/8"	30"	48"	24"	—	\$466
FWDAHT.305424	11/8"	30"	54"	24"	—	\$530
FWDAHT.306024	11/8"	30"	60"	24"	—	\$567
FWDAHT.306624	11/8"	30"	66"	24"	—	\$633
FWDAHT.307224	11/8"	30"	72"	24"	—	\$647
FWDAHT.307824	11/8"	30"	78"	24"	—	\$751

120° Corner / 90° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 9)

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: F120AHT-90WS.2436
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: 120GL
grommet color: Cloud White


120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-90WS.2436	1 1/8"	24"	36"	—	—	\$845
F120AHT-90WS.2442	1 1/8"	24"	42"	—	—	\$1,041
F120AHT-90WS.2448	1 1/8"	24"	48"	—	—	\$1,297

NOTES

- Sizes are actual - for example: „ F120AHT-90WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

120° Corner / 120° Ends Freestanding Application




DESCRIPTION	SPECIFICATION OPTIONS
Laminate worksurface with 3mm PVC edge	product #: see charts below edge finish: see page 8 worksurface finish: see page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Tops are intended for freestanding applicationSee system pricebook for use inside a paneled workstationAdd grommet cutout (add \$75 list). Specify grommet placement (see page 9)	product #: F120AHT-120WS.2436 edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: 120GL grommet color: Cloud White

120° CORNER
120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE	NOTES
F120AHT-120WS.2436	11/8"	24"	36"	—	—	\$845	<ul style="list-style-type: none">Sizes are actual - for example: F120AHT-120WS.2436 is 23 7/8" x 35 7/8"Not recommended in paneled workstation applicationsTopsize not reduced to eliminate pinch points
F120AHT-120WS.2442	11/8"	24"	42"	—	—	\$1,041	
F120AHT-120WS.2448	11/8"	24"	48"	—	—	\$1,297	

Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

NOTES

- Actual modesty is shorter than the worktop to clear the My-Hite base.
- Example: FAHLMOD.1648 for use on 46"/48" width table, actual width is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 8

ORDER EXAMPLE

product #: FAHLMOD.0860
paint: CW, Cloud White
laminate: M12, Medium Walnut

Laminate Modesty Panel

PART #	HEIGHT	WIDTH	LIST
FAHLMOD.0842	8"	34"	\$240
FAHLMOD.0848	8"	40"	\$249
FAHLMOD.0854	8"	46"	\$256
FAHLMOD.0860	8"	52"	\$379
FAHLMOD.0866	8"	58"	\$386
FAHLMOD.0872	8"	64"	\$394
FAHLMOD.0878	8"	70"	\$402

NOTES


- Modesty panel will be shorter than top to clear the My-Hite base.

Example:

- FSQAHT-2460 order FAHLMOD.1660 (actual width 52")
- FIRWS.2370 (Interra pricebook) order FAHLMOD.1672 (actual width 64")

FAHLMOD.1642	16"	34"	\$296
FAHLMOD.1648	16"	40"	\$304
FAHLMOD.1654	16"	46"	\$312
FAHLMOD.1660	16"	52"	\$480
FAHLMOD.1666	16"	58"	\$487
FAHLMOD.1672	16"	64"	\$494
FAHLMOD.1678	16"	70"	\$503

Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

- Fabric screen is non-tackable
- To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order "with gap".
- Actual screen is shorter than the worktop.
- Example: FPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40".
- Fabric screen is magnetic.
- Passage and Terrain fabric not approved for this application**

SPECIFICATION OPTIONS

product #: see charts below

Paint (Brackets): CW, BU, SV

fabric: see page 6 (Passage and Terrain fabric not approved for this application)

ORDER EXAMPLE

product #: FPSFLUSH.2448

brackets: SV, Silver

fabric: PF-101-2 Slide, Slate

Fabric Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24"	34"	\$671
FPSFLUSH.2448	24"	40"	\$726
FPSFLUSH.2454	24"	46"	\$781
FPSFLUSH.2460	24"	52"	\$839
FPSFLUSH.2466	24"	58"	\$897
FPSFLUSH.2472	24"	64"	\$953

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.
- Example:
- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Fabric Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24"	34"	\$671
FPSGAP.2448	24"	40"	\$726
FPSGAP.2454	24"	46"	\$781
FPSGAP.2460	24"	52"	\$839
FPSGAP.2466	24"	58"	\$897
FPSGAP.2472	24"	64"	\$953

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

- FSQAHT-2460 order FPSGAP.2460 (actual width 52")


- Privacy screen sits flush with the back of the worktop.

- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

- FSQAHT-2460 order FPSGAP.2460 (actual width 52")

Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

- To use a wire manager on your My-Hite table with a marker board privacy screen, you must order "with gap".
- Marker board screen is writable on both sides
- Privacy screen edgebanding is white.
- Actual screen is shorter than the worktop.
- Example: FMPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2448
brackets: SV, Silver

Marker Board Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24"	34"	\$811
FMPSFLUSH.2448	24"	40"	\$929
FMPSFLUSH.2454	24"	46"	\$1,046
FMPSFLUSH.2460	24"	52"	\$1,165
FMPSFLUSH.2466	24"	58"	\$1,283
FMPSFLUSH.2472	24"	64"	\$1,401

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSFLUSH.2460 (actual width 52")

Marker Board Privacy Screen- with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FMPGAP.2442	24"	34"	\$811
FMPGAP.2448	24"	40"	\$929
FMPGAP.2454	24"	46"	\$1,046
FMPGAP.2460	24"	52"	\$1,165
FMPGAP.2466	24"	58"	\$1,283
FMPGAP.2472	24"	64"	\$1,401

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:


1. FSQAHT-2460 order FMPGAP.2460 (actual width 52")

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPGAP.2460 (actual width 52")

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

- To use a wire manager on your My-Hite table with a laminate privacy screen, you must order “with gap”.
- Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
finish: see page 8

ORDER EXAMPLE

product #: FPSFLUSH.2454
brackets: SV, Silver

Laminate Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24"	34"	\$436
FLPSFLUSH.2448	24"	40"	\$487
FLPSFLUSH.2454	24"	46"	\$535
FLPSFLUSH.2460	24"	52"	\$583
FLPSFLUSH.2466	24"	58"	\$633
FLPSFLUSH.2472	24"	64"	\$681

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Laminate Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24"	34"	\$436
FLPSGAP.2448	24"	40"	\$487
FLPSGAP.2454	24"	46"	\$535
FLPSGAP.2460	24"	52"	\$583
FLPSGAP.2466	24"	58"	\$633
FLPSGAP.2472	24"	64"	\$681

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:


1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FLPSGAP.2460 (actual width 52")

Worksurface Mounted Screens, Clear



DESCRIPTION

Surface mounted glass screens, including hardware.

NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

ORDER EXAMPLE

product #: FWSMG.0824-CL
paint: SV Silver

Glass Screens, Clear 8" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-CL	8"	24"	\$190
FWSMG.0830-CL	8"	30"	\$205
FWSMG.0836-CL	8"	36"	\$222
FWSMG.0842-CL	8"	42"	\$237
FWSMG.0848-CL	8"	48"	\$252
FWSMG.0854-CL	8"	54"	\$331
FWSMG.0860-CL	8"	60"	\$347
FWSMG.0866-CL	8"	66"	\$362
FWSMG.0872-CL	8"	72"	\$376

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Clear 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-CL	14"	24"	\$238
FWSMG.1430-CL	14"	30"	\$264
FWSMG.1436-CL	14"	36"	\$289
FWSMG.1442-CL	14"	42"	\$314
FWSMG.1448-CL	14"	48"	\$342
FWSMG.1454-CL	14"	54"	\$431
FWSMG.1460-CL	14"	60"	\$455
FWSMG.1466-CL	14"	66"	\$478
FWSMG.1472-CL	14"	72"	\$501


NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Clear 15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-CL	15"	22"	\$325
FWSMG.1528-CL	15"	28"	\$347

Worksurface Mounted Screens, Frosted



DESCRIPTION

Surface mounted glass screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

ORDER EXAMPLE

product #: FWSMG.0824-FR
paint: SV Silver

Glass Screens, Frosted
8" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-FR	8"	24"	\$265
FWSMG.0830-FR	8"	30"	\$300
FWSMG.0836-FR	8"	36"	\$335
FWSMG.0842-FR	8"	42"	\$372
FWSMG.0848-FR	8"	48"	\$407
FWSMG.0854-FR	8"	54"	\$475
FWSMG.0860-FR	8"	60"	\$489
FWSMG.0866-FR	8"	66"	\$501
FWSMG.0872-FR	8"	72"	\$515

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted
14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-FR	14"	24"	\$371
FWSMG.1430-FR	14"	30"	\$432
FWSMG.1436-FR	14"	36"	\$494
FWSMG.1442-FR	14"	42"	\$551
FWSMG.1448-FR	14"	48"	\$615
FWSMG.1454-FR	14"	54"	\$685
FWSMG.1460-FR	14"	60"	\$737
FWSMG.1466-FR	14"	66"	\$788
FWSMG.1472-FR	14"	72"	\$841


NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted
15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-FR	15"	22"	\$452
FWSMG.1528-FR	15"	28"	\$506

Worksurface Mounted Screens, Fabric



DESCRIPTION

Surface mounted fabric screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below

Paint (Brackets) CW, BU, SV

fabric: see page 6 (Passage and Terrain fabric not approved for this application)

NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.
- Passage and Terrain fabric not approved for this application**

ORDER EXAMPLE

product #: FWSMTK.1424

paint: SV Silver

fabric: PF-101-2 Slide, Slate

Fabric Screens, 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1424	14"	24"	\$339
FWSMTK.1430	14"	30"	\$356
FWSMTK.1436	14"	36"	\$427
FWSMTK.1442	14"	42"	\$427
FWSMTK.1448	14"	48"	\$495
FWSMTK.1454	14"	54"	\$602
FWSMTK.1460	14"	60"	\$636
FWSMTK.1466	14"	66"	\$636
FWSMTK.1472	14"	72"	\$671

NOTES

- Screen mounts to any laminate/veneer worksurface top

Fabric Screens, 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1422	14"	22"	\$339
FWSMTK.1428	14"	28"	\$356

NOTES

- Screen mounts to any laminate/veneer worksurface top

Fabric Screens, 24" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.2424	24"	24"	\$688
FWSMTK.2430	24"	30"	\$721
FWSMTK.2436	24"	36"	\$843
FWSMTK.2442	24"	42"	\$880
FWSMTK.2448	24"	48"	\$981
FWSMTK.2454	24"	54"	\$1,126
FWSMTK.2460	24"	60"	\$1,228
FWSMTK.2466	24"	66"	\$1,242
FWSMTK.2472	24"	72"	\$1,343

NOTES

- Screen mounts to any laminate/veneer worksurface top


Fabric Screens, 24" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.2422	24"	22"	\$683
FWSMTK.2428	24"	28"	\$717

NOTES

- Screen mounts to any laminate/veneer worksurface top

Flyp Screens



(3) Screens shown

DESCRIPTION

Surface mounted PET screens, including hardware

NOTES

- Screens sold individually
- Includes: (2) supporting brackets per screen
- Mounts to the underside of any laminate/veneer worksurface
- Screens can extend above or below worksurface
- Screen color is Sesame Black only
- Mounting hardware is Cool Grey
- Note actual widths of screens below

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FPSFLYP.2258

Flyp Screen

PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2246	22"	46"	\$554
FPSFLYP.2258	22"	58"	\$772
FPSFLYP.2270	22"	70"	\$846

NOTES

- Screen mounts to the underside of any laminate/veneer worksurface


Flyp Side Screen

PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2224	22"	23.5"	\$402

NOTES

- Screen mounts to the underside of any laminate/veneer worksurface

Mobile Pedestal



DESCRIPTION

Box/File mobile pedestal with lock and matching color top

SPECIFICATION OPTIONS

product #: FBFPED.MOB
finish: CW, BU, SV
foam color (if applicable): Charcoal, Café, Grey, and Red


NOTES

- Optional Foam cushion available
- Optional changeable color top available
- Key-alike available

ORDER EXAMPLE


Pedestal:
product #: FBFPED.MOB
finish: SV Silver
Cushion:
product #: FBFPED.CUSH
finish: Charcoal

MOBILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.MOB	21.5"	15"	19 3/4"		\$784	<ul style="list-style-type: none"> • Finish options: SV Silver, CW Cloud White and BU Black Umber

COLOR PEDESTAL TOP



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
FBFPED.PT				\$98	<ul style="list-style-type: none"> • Color options: Green, Blue, and Red • Please select color when ordering

FOAM CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.CUSH					\$164	<ul style="list-style-type: none"> • Color options: Charcoal, Café, Grey, and Red • Please select color when ordering • Cushion is made of foam and not fabric covered

Keyed Alike

DESCRIPTION	SPECIFICATION OPTIONS
Keys for My-Hite pedestal	product #: see charts below
	ORDER EXAMPLE
	product #: METAL1 -FMK

PART #	DESCRIPTION	PRICE	NOTES
METAL1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	\$198	<ul style="list-style-type: none">• All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike• Keyed-Alike Lock Cores are sold in sets of 4 or 6).• Each set includes four Lock Cores, each with two keys, all with the same lock number.• Lock core removal/change keys will need to be ordered separately.• Additional Lock Core Removal Keys and Master Keys are available.
METAL1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	\$298	
METAL1-FCK	Lock Core Change Key - Type 1 Metal Storage	\$29	
METAL1-FMK	Lock Core Master Key - Type 1 Metal Storage	\$29	
METAL1-KEYBLANK	Key Blank - Type 1 Metal Storage	\$5	

Monitor Arms

SINGLE MONITOR ARM




PART #	LIST	NOTES
FMA-S	\$709	<ul style="list-style-type: none">CW, SV, BU FinishIncludes attachment hardware for clamp, grommet and Verity track mount.Includes (2) USB ports, 6' cords

DUAL MONITOR ARM



PART #	LIST	NOTES
FMA-D	\$1,012	<ul style="list-style-type: none">CW, SV, BU FinishIncludes attachment hardware for clamp, grommet and Verity track mount.Includes (2) USB ports, 6' cords

Power Grommet (Contact factory for availability) Worksurface Mounted



DESCRIPTION

Worksurface mounted power/data grommet

SPECIFICATION OPTIONS

product #: see charts below
finish: BC Brushed Charcoal or CW Cloud White (contact customer success for lead time)


NOTES

- Includes 10' coiled power cord to connect to power source, or daisy chain to next power grommet

ORDER EXAMPLE

product #: FPWR.0608
finish: BC Brushed Charcoal


POWER GROMMET, 5x8



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0508		8"	5"	\$784

- NOTES
- Worksurface mounted power/data grommet, 5x8
 - Includes 10' coiled power cord to connect to power source
 - Distributes up to 10 amps
 - Above Worksurface:** (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
 - Below Worksurface:** (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/out)

POWER GROMMET, 6x8



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0608		8"	6"	\$784

- NOTES
- Worksurface mounted power/data grommet, 6x8
 - Includes 10' coiled power cord to connect to power source
 - Distributes up to 10 amps
 - Above Worksurface:** (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
 - Below Worksurface:** (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out)

ACCESSORIES

Power Distribution

DESCRIPTION

Workstation accessories.

SPECIFICATION OPTIONS

product #: see charts below
finish: CW Cloud White, DT Dark Tone, MT Medium Tone

ORDER EXAMPLE

product #: FTB.24
finish: CW

SINGLE CIRCUIT INFEEED



PART

FD-BPI.1CIR

PRICE

\$117

NOTES

- Plug-in power infeed for use with table power distribution
- 8' cord

TABLE POWER DISTRIBUTION



PART

FD-SFC-306-4A

\$102

NOTES

- Use with single circuit infeed (FD-BPI.1CIR)
- Power strip to attaches to the underside of tabletops.

DAISY CHAIN POWER CONNECTOR



PART

FD-DCI.1CIR

PRICE


\$117

NOTES

- Connects adjacent table power distribution 8' cord


Accessories

WIRE MANAGER




PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FMHWM	1 7/8"	32"- 59"	6"	\$107	<ul style="list-style-type: none"> Wire manager covers user's wiring (i.e.: computer, phone, etc.); adjustable width To use a wire manager on your My-Hite table with fabric covered privacy screen you must order "with gap". Wire manager telescopes from 32"- 59" Includes T-Support post with height of 3 1/4" Specify finish: CW, BU or SV

MESH WIRE MANAGER



PART #	LENGTH	PRICE	NOTES
FFWM.18	18"	\$164	<ul style="list-style-type: none"> Wire manager mounts to the bottom of a worksurface to manage cords Finish: Black with red zipper
FFWM.34	34"	\$164	

CASTERS




PART #		LIST	NOTES
FMHCS-3.4	Castors for 3-Stage Straight Bases (4 locking casters included)	\$197	<ul style="list-style-type: none"> Order 4 casters for rectangle base and 6 casters for corner base
FMHCS-3.6	Castors for 3-Stage Corner Bases (6 locking casters included)	\$197	
FMHCS-2.4	Castors for 2-Stage Straight Bases (4 locking casters included)	\$197	<ul style="list-style-type: none"> Height of table is increased by 2" and will not be reflected on the display height Castors are installed in the field
FMHCS-2.6	Castors for 2-Stage Corner Bases (6 locking casters included)	\$197	

CONVERSION KIT 3 STAGE BASE

PART #	LIST	NOTES
FCNAHT.3.24.CONVERSION	\$1,485	<ul style="list-style-type: none"> Kit of parts to convert an existing 2 leg base to a 3 leg base, 3 stage base only FCNAHT.3.24.CONVERSION is for T-Leg 3 Stage base FCNAHC.3.24.CONVERSION is for C-Leg 3 Stage base
FCNAHC.3.24.CONVERSION	\$1,485	

Accessories (continued)

DESK MOUNTED POWER UNIT - ADHESIVE OR CLAMP




PART #	PRICE	NOTES
FPWR.DM-1	\$468	<ul style="list-style-type: none"> Power unit attaches to surface with adhesive OR clamps onto surface. The power cord comes attached to the unit. The cord measures approximately 6 ft in length. Includes 3 plugs, 1 USB-C and 1 USB-A port Distributes up to 15 amps finish: available in BU and CW

DESK MOUNTED POWER UNIT - CLAMP (CONTACT FACTORY FOR AVAILABILITY)




PART #	PRICE	NOTES
FPWR.DM	\$468	<ul style="list-style-type: none"> Power unit clamps onto surface The power cord comes attached to the unit. The cord measures approximately 6 ft in length. Includes 3 plugs and 2 USB-A ports Distributes up to 10 amps finish: available in BU and CW

DESK MOUNTED POWER UNIT - ADHESIVE (CONTACT FACTORY FOR AVAILABILITY)



PART #	PRICE	NOTES
FPWR.DM-2	\$468	<ul style="list-style-type: none"> Power unit attaches to surface with adhesive The power cord comes attached to the unit. The cord measures approximately 6 ft in length. Includes 3 plugs, 1 USB-C and 1 USB-A port Distributes up to 10 amps finish: available in BU and CW

SHIELD Freestanding Laminate Panel Feet



DESCRIPTION	SPECIFICATION OPTIONS
Freestanding laminate panel with feet.	product #: see charts below surface finish: see page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Dimensions are actual• Laminate is 3/4" thick• Painted metal feet in Cloud White	product #: FZFS.4853 surface finish: M10 Espresso


45" HIGH	PART #	HEIGHT	WIDTH	LIST
	FZFS.3045	45"	30"	\$1,251
	FZFS.3645	45"	36"	\$1,335
	FZFS.4245	45"	42"	\$1,420
	FZFS.4845	45"	48"	\$1,502

53" HIGH	PART #	HEIGHT	WIDTH	LIST
	FZFS.3053	53"	30"	\$1,327
	FZFS.3653	53"	36"	\$1,425
	FZFS.4253	53"	42"	\$1,523
	FZFS.4853	53"	48"	\$1,622

60" HIGH	PART #	HEIGHT	WIDTH	LIST
	FZFS.3060	60"	30"	\$1,393
	FZFS.3660	60"	36"	\$1,559
	FZFS.4260	60"	42"	\$1,670
	FZFS.4860	60"	48"	\$1,780

SHIELD FREESTANDING PANELS

SHIELD Freestanding Laminate Panel Casters



DESCRIPTION

Freestanding laminate panel with casters.

NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

SPECIFICATION OPTIONS

product #: see charts below

surface finish: see page 8

ORDER EXAMPLE

product #: FZFMOB.4845

surface finish: M10 Espresso

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMOB.4245	45"	42"	\$1,607
FZFMOB.4845	45"	48"	\$1,692


53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMOB.4253	53"	42"	\$1,712
FZFMOB.4853	53"	48"	\$1,809

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMOB.4260	60"	42"	\$1,805
FZFMOB.4860	60"	48"	\$1,915

SHIELD Freestanding Markerboard Panel Feet



DESCRIPTION	SPECIFICATION OPTIONS
Freestanding markerboard panel with feet.	product #: see charts below
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Dimensions are actual• Markerboard is 3/4" thick• Painted metal feet in Cloud White	product #: FZFMBS.4853

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3045	45"	30"	\$1,973
FZFMBS.3645	45"	36"	\$2,201
FZFMBS.4245	45"	42"	\$2,430
FZFMBS.4845	45"	48"	\$2,657

53" HIGH


PART #	HEIGHT	WIDTH	LIST
FZFMBS.3053	53"	30"	\$2,176
FZFMBS.3653	53"	36"	\$2,445
FZFMBS.4253	53"	42"	\$2,714
FZFMBS.4853	53"	48"	\$2,981

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3060	60"	30"	\$2,355
FZFMBS.3660	60"	36"	\$2,714
FZFMBS.4260	60"	42"	\$3,018
FZFMBS.4860	60"	48"	\$3,321

SHIELD FREESTANDING PANELS

SHIELD Freestanding Markerboard Panel Casters



DESCRIPTION

Freestanding markerboard panel with casters.

NOTES

- Dimensions are actual
- Markerboard is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FZFMBSMOB.4845

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4245	45"	42"	\$2,617
FZFMBSMOB.4845	45"	48"	\$2,846

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4253	53"	42"	\$2,902
FZFMBSMOB.4853	53"	48"	\$3,171

60" HIGH


PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4260	60"	42"	\$3,151
FZFMBSMOB.4860	60"	48"	\$3,453

BEAM

How to Order Beam


1 Select a Beam Package

- Beam package with screen support
or
- Beam package without screen support

Choose	Specify Part #	Description	Specify Finish
	FB-BEAM-36A-E	Beam package with screen support	Silver


2 Specify End of Run Posts

- End of Run post for each end of run (Quantity (2) total each run)

Choose	Specify Part # (Quantity 2)	Description
	FB-POSTEND	End of run post

3 Specify Support Posts


- Inline post for each package to package location (Quantity depends on length of run)
- 3 or 4 way post if applicable

Choose	Specify Part # (Quantity TBD)	Description
	FB-POST180-X-D	Support post used in middle of run


4 Specify Electrical

Options include:

- Select either base feed or power pole (power pole at End of Run only - base feed at any post)
- Specify duplexes - Circuit 1-4 ((2) duplexes per side - **except 36"** which is (1) duplex per side)
- Add data port
(FBDPP - less than 20 CAT 6 cables)
(FHDPP - more than 20 CAT 6 cables)

Choose	Specify Part #
	FB-BPE

Choose	Specify Part #
Duplex	FIRECP4.I

Choose	Specify Part #
	FBDPP

5 Specify Beam Mounted Screen (if applicable)

Options include:

- Clear glass
- Frosted glass
- Fabric covered

Choose	Specify Part #	Material
	FB-GLS2436-FR	FROSTED GLASS


6 Specify My-Hite Base

Choose	Specify Part #
	FSQAHBT-24-3

7 Specify My-Hite Top for Beam Application

Options include:

- Tops range from 40" to 76"


Choose	Specify Part #	Specify Finish
	FBRWS.XXXX	M28 Arctic

8 Select additional items to complete your system

Options include:

Monitor Arms	Mobile Pedestal	Power Grommet
		



Worksurface Planning Guide



SPECIFY BEAM

* When worksurface is wrapped by Beam on 3 sides, width must be reduced one full size. For example: 70" worksurface becomes a 64"

Beam Elevation Height




SPECIFY BEAM

Beam Creep


Beam width is measured from center of Post to center of Post. Because of this, creep will be consistent, no matter the size of the beam packages, or the quantity of posts in the run.

Beam creep will be an additional 5" overall per run.

Examples below are FB-BEAM-48B-E Beam Packages, 48"W





Single Station



Three Station

Data Port Plate



Product Description

PART #: FBDPP, FHDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

Product Notes

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

Dimensions

PART #: FBDPP,

HEIGHT: 2 1/8"

WIDTH: 3 5/8"

DEPTH: 0.25" (from face of Panel Base Kickplate)

MATERIAL: High impact plastic

PART #: FHDPP,

HEIGHT: 2 1/8"


WIDTH: 3 5/8"

DEPTH: 0.75" (from face of Panel Base Kickplate)

MATERIAL: High impact plastic

SPECIFY BEAM

Beam Package With power & data cutouts



INCLUDES: Beam, Top cap & Base covers with power & data cutouts

DESCRIPTION

Beam package distributes power and data

NOTES

- Order data port plates separately
- All widths provide locations for duplexes; (2) on each side, (4) total per beam except 36": (1) duplex each side, (2) total per beam
- (1) Festoon included in package
- Order support posts separately
- Order infeed separately
- Order duplexes separately
- Order Data Port Plate separately


SPECIFICATION OPTIONS

product #: see charts below
finish: CW, BU, SV,

ORDER EXAMPLE

description: Beam package with screen support
product #: FB-BEAM-36A-E
finish: Silver SV

BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E	36"	-	\$680
FB-BEAM-42A-E	42"	-	\$748
FB-BEAM-48A-E	48"	-	\$858
FB-BEAM-54A-E	54"	-	\$937
FB-BEAM-60A-E	60"	-	\$1,046
FB-BEAM-66A-E	66"	-	\$1,175
FB-BEAM-72A-E	72"	-	\$1,257

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 89
- Order screens separately

BEAM PACKAGE WITHOUT SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E	36"	-	\$622
FB-BEAM-42B-E	42"	-	\$681
FB-BEAM-48B-E	48"	-	\$783
FB-BEAM-54B-E	54"	-	\$853
FB-BEAM-60B-E	60"	-	\$948
FB-BEAM-66B-E	66"	-	\$1,072
FB-BEAM-72B-E	72"	-	\$1,142

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 89

Beam Package Without cutouts



DESCRIPTION	SPECIFICATION OPTIONS
Beam package without cutout	product #: see charts below finish: SV, BU, CW
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">(1) Festoon included in packageOrder support posts separatelyOrder infeed separately	description: Beam package with screen support product #: FB-BEAM-72B-E.NC finish: Silver SV


INCLUDES: Beam, Top cap &
Base covers without power & data cutouts

BEAM PACKAGE WITHOUT
SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST	NOTES
FB-BEAM-36B-E.NC	36"	-	\$615	<ul style="list-style-type: none">Non-powered data base covers included
FB-BEAM-42B-E.NC	42"	-	\$676	
FB-BEAM-48B-E.NC	48"	-	\$776	
FB-BEAM-54B-E.NC	54"	-	\$846	
FB-BEAM-60B-E.NC	60"	-	\$942	
FB-BEAM-66B-E.NC	66"	-	\$1,067	
FB-BEAM-72B-E.NC	72"	-	\$1,137	


BEAM PACKAGE WITH
SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST	NOTES
FB-BEAM-36A-E.NC	36"	-	\$675	<ul style="list-style-type: none">Non-powered data base covers included.Order screens separately
FB-BEAM-42A-E.NC	42"	-	\$744	
FB-BEAM-48A-E.NC	48"	-	\$853	
FB-BEAM-54A-E.NC	54"	-	\$930	
FB-BEAM-60A-E.NC	60"	-	\$1,041	
FB-BEAM-66A-E.NC	66"	-	\$1,169	
FB-BEAM-72A-E.NC	72"	-	\$1,252	

SPECIFY BEAM

Supporting Post Inline & End of Run



DESCRIPTION

Posts support beam packages

SPECIFICATION OPTIONS

product #: see charts below
finish: Silver, Cloud White, Black Umber


NOTES

- Posts support beam packages

ORDER EXAMPLE


description: Beam inline 180° supporting post
product #: FB-POST180
finish: SV Silver

INLINE POST 180°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST180					\$829	<ul style="list-style-type: none">• Use inline, between (2) beam packages


END OF RUN POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POSTEND					\$774	<ul style="list-style-type: none">• Use at end of run

SPECIFY BEAM


Supporting Post 2, 3, 4 Way



DESCRIPTION	SPECIFICATION OPTIONS
Posts support beam packages	product #: see charts below finish: Silver, Cloud White, Black Umber


ORDER EXAMPLE
description: 3 way supporting post 90° product #: FB-POST90-3 finish: SV Silver

2-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-2-D					\$797	• Use at 2-way, 90°

3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3					\$903	• Use at 3-way, 90°

4-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4					\$903	• Use at 4-way, 90°

2-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2					\$906	• Use at 2-way, 120°


3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3					\$992	• Use at 3-way, 120°

SPECIFY BEAM

Laminate Insert Package



DESCRIPTION

Laminate insert packages for Beam posts


SPECIFICATION OPTIONS

product #: see charts below
laminate: see page 8

ORDER EXAMPLE


product #: FB-POST180-LAM
laminate: M28 Arctic

LAMINATE INSERT PACKAGE FOR INLINE POST 180°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST180-LAM	17.5"	3.5"			\$129	Includes • (2) Short Inserts

LAMINATE INSERT PACKAGE FOR END OF RUN POST




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POSTEND-LAM	17.5"/25"	3.5"			\$135	Includes • (1) Short Insert • (1) Tall Insert

LAMINATE INSERT PACKAGE FOR 2-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-2-DLAM	17.5"/25"	3.5"			\$270	Includes • (2) Short Inserts • (2) Tall Inserts

LAMINATE INSERT
PACKAGE FOR
3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3LAM	17.5"/25"	3.5"			\$265	Includes <ul style="list-style-type: none">(3) Short Inserts(1) Tall Insert

LAMINATE INSERT
PACKAGE FOR
4-WAY POST




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4LAM	17.5"	3.5"			\$260	Includes <ul style="list-style-type: none">(4) Short Inserts

LAMINATE INSERT
PACKAGE FOR
2-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2LAM	17.5"	3.5"			\$129	Includes <ul style="list-style-type: none">(2) Short Inserts


LAMINATE INSERT
PACKAGE FOR
3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3LAM	17.5"	3.5"			\$194	Includes <ul style="list-style-type: none">(3) Short Inserts

SPECIFY BEAM

Gallery Panels Double Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accommodate added depth from Privacy Screens

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FBGPEORD.3048
surface finish: M10 Espresso
finish: Silver SV

30" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.3048	30"	53.5"	1"	\$816
FBGPEORD.3060	30"	65.5"	1"	\$899

30" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.3048	30"	58"	1"	\$898
FBGPEORD.PS.3060	30"	70"	1"	\$988


42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.4248	42"	53.5"	1"	\$973
FBGPEORD.4260	42"	65.5"	1"	\$1,085

42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.4248	42"	58"	1"	\$1,070
FBGPEORD.PS.4260	42"	70"	1"	\$1,193

Gallery Panels Single Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accomodate added depth from Privacy Screens

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FBGPEORS.3024L
surface finish: M10 Espresso
finish: Silver SV

30" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.3024L	30"	29.5"	1"	\$644
FBGPEORS.3024R	30"	29.5"	1"	\$644
FBGPEORS.3030L	30"	35.5"	1"	\$684
FBGPEORS.3030R	30"	35.5"	1"	\$684

30" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.PS.3024L	30"	31"	1"	\$709
FBGPEORS.PS.3024R	30"	31"	1"	\$709
FBGPEORS.PS.3030L	30"	37"	1"	\$752
FBGPEORS.PS.3030R	30"	37"	1"	\$752

42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.4224L	42"	29.5"	1"	\$741
FBGPEORS.4224R	42"	29.5"	1"	\$741
FBGPEORS.4230L	42"	35.5"	1"	\$798
FBGPEORS.4230R	42"	35.5"	1"	\$798

42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.PS.4224L	42"	31"	1"	\$815
FBGPEORS.PS.4224R	42"	31"	1"	\$815
FBGPEORS.PS.4230L	42"	37"	1"	\$877
FBGPEORS.PS.4230R	42"	37"	1"	\$877

Beam Base Cover, non-powered




DESCRIPTION	SPECIFICATION OPTIONS
Base cover without power/data knockout	product #: see charts below finish: SV, BU, CW
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Beam package includes power/data base covers	description: Non-powered Beam basecover product #: FATB-BC-N-48 finish: Silver SV

PART #	LIST	NOTES
FATB-BC-N-36	\$55	<ul style="list-style-type: none">Non-powered base coverOrder (1) for each side if needed
FATB-BC-N-42	\$66	
FATB-BC-N-48	\$75	
FATB-BC-N-54	\$84	
FATB-BC-N-60	\$91	
FATB-BC-N-66	\$99	
FATB-BC-N-72	\$108	


SPECIFY BEAM

Beam Package Top Caps



DESCRIPTION	SPECIFICATION OPTIONS
Top cap only.	product #: see charts below finish: See page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Top cap is included in beam package #FB-BEAM-XXX-EIncludes attachment hardwareOrder new top cap to match the size and finish of the original beam packageThis top cap sold separately for reconfiguration purposes	description: Top cap for beam packages product #: FB-TOPCAP-36-A-XX finish: Silver SV

BEAM TOP CAP WITH SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST	NOTES
FB-TOPCAP-36-A	36"	-	\$250	<ul style="list-style-type: none">Order screens separately. (see page 56)
FB-TOPCAP-42-A	42"	-	\$274	
FB-TOPCAP-48-A	48"	-	\$301	
FB-TOPCAP-54-A	54"	-	\$325	
FB-TOPCAP-60-A	60"	-	\$358	
FB-TOPCAP-66-A	66"	-	\$381	
FB-TOPCAP-72-A	72"	-	\$414	

BEAM TOP CAP WITHOUT SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-B	36"	-	\$94
FB-TOPCAP-42-B	42"	-	\$109
FB-TOPCAP-48-B	48"	-	\$122
FB-TOPCAP-54-B	54"	-	\$139
FB-TOPCAP-60-B	60"	-	\$153
FB-TOPCAP-66-B	66"	-	\$165
FB-TOPCAP-72-B	72"	-	\$183

Beam Electrical Distribution

DESCRIPTION

Electrical distribution components

SPECIFICATION OPTIONS

product #: see charts below
finish: see page 8

NOTES

- Circuit 4 is dedicated
- Power is 8 wire, (4) 20 AMP circuit
- Receptacles are rated 120V, 15 AMPS


ORDER EXAMPLE

product #: FIRECP4.1
finish: CW

RECEPTACLE 4-CIRCUITS


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FIRECP4.I	circuit I	—	—	0.25"	\$39	<ul style="list-style-type: none"> • Provides access to I, II, III, IIII circuit • Provides dedicated circuit with "IIII" receptacle • CW, SV, BU • Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24
FIRECP4.II	circuit II	—	—	0.25"	\$39	
FIRECP4.III	circuit III	—	—	0.25"	\$39	
FIRECP4.IIIII	circuit IIII (dedicated)	—	—	0.25"	\$39	
FIRECP4.II-CONT	Circuit II	—	—	0.25"	\$39	
FIRECP4.III-CONT	Circuit III	—	—	0.25"	\$39	

DATA PORT PLATE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBDPP	2.125"	3.625"	0.250"	0.10	\$63	<ul style="list-style-type: none"> • If running more than (20) data cables, use FHDPP. • If running less than (20) data cables, use FBDPP. • SV, CW or BU
FHDPP	2.125"	3.625"	0.750"	0.10	\$63	

CHICAGO POWER BOX



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBCPB					\$75	<ul style="list-style-type: none"> • Chicago Power Boxes house electrical components provided by others • Can accommodate back-to-back or single-sided duplexes (provided by others) • Beams 36"W can accommodate (1) chicago power box • Beams 42"W and over can accommodate (2) chicago power boxes

Beam Electrical Distribution, cont'd


BASE POWER ENTRY



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-BPE		6'			\$466

- | NOTES |
|--|
| <ul style="list-style-type: none">• Base power entry, 4 circuit, for use with Beam product.• Base infeed comes with post inserts with cutout, (1) tall and (1) short• CW, BU, or SV finish |

CEILING POWER ENTRY



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-CPE					\$1,128

- | NOTES |
|--|
| <ul style="list-style-type: none">• Ceiling power entry, 4 circuit, for use with Beam product.• CW, SV, BU• Distributes up to four 20-amp circuits.• Includes a rigid 12' conduit when extended, encasing 14' of wire, 12' pole, bezel and end cap trim cover• Pole can fit (70) cat. 6 cables along with power conduit.• Beam power poles attach at any tall insert side of a Beam post. They can attach at any of the following post types:<ul style="list-style-type: none">• End-of-run post• 2-way 90° post• 3-way 90° post• MUST BE WIRED BY A LICENSED ELECTRICIAN.• If ordering power poles alone, they will need to be cut for shipping, due to the length and potential for damage. Contact Customer Success Team with any questions. |


CEILING DATA ENTRY

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-CDE					\$587

- | NOTES |
|---|
| <ul style="list-style-type: none">• Routes data cables from the ceiling to Beam• CW, SV, BU• If ordering data poles alone, they will need to be cut for shipping, due to the length and potential for damage. Contact Customer Success Team with any questions. |

SPECIFY BEAM

Beam Mounted Screens



DESCRIPTION

Privacy screens for use with beam product

SPECIFICATION OPTIONS

product #: see charts below

NOTES


- For use with beam packages with screen support: i.e. FB-BEAM-42A-E
- Includes mounting hardware
- Actual screen is 7" shorter than Beam Package

ORDER EXAMPLE

product #: FB-FBS2436

fabric: PF1010-3 Slide Pewter

FROSTED GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-FR	29"	24"	\$354
FB-GLS2442-FR	35"	24"	\$404
FB-GLS2448-FR	41"	24"	\$440
FB-GLS2454-FR	47"	24"	\$491
FB-GLS2460-FR	53"	24"	\$541
FB-GLS2466-FR	59"	24"	\$591
FB-GLS2472-FR	65"	24"	\$643

NOTES

- Price is for (1) screen

CLEAR GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-CL	29"	24"	\$216
FB-GLS2442-CL	35"	24"	\$243
FB-GLS2448-CL	41"	24"	\$262
FB-GLS2454-CL	47"	24"	\$288
FB-GLS2460-CL	53"	24"	\$318
FB-GLS2466-CL	59"	24"	\$345
FB-GLS2472-CL	65"	24"	\$371

NOTES

- Price is for (1) screen

FABRIC COVERED SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-FBS2436	29"	24"	\$618
FB-FBS2442	35"	24"	\$645
FB-FBS2448	41"	24"	\$671
FB-FBS2454	47"	24"	\$704
FB-FBS2460	53"	24"	\$732
FB-FBS2466	59"	24"	\$767
FB-FBS2472	65"	24"	\$795

NOTES

- Price is for (1) screen
- Screens are magnetic, not tackable
- Passage and Terrain fabric not approved for this application

WORKSURFACES FOR USE WITH BEAM

Rectangular



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8

ORDER EXAMPLE

product #: FBRWS.2340
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12
grommet: GC (Rear Center)
grommet color: Cloud White

RECTANGULAR WORKSURFACE, 23" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.2340	11/8"	23"	40"	\$392
FBRWS.2346	11/8"	23"	46"	\$404
FBRWS.2352	11/8"	23"	52"	\$477
FBRWS.2358	11/8"	23"	58"	\$489
FBRWS.2364	11/8"	23"	64"	\$562
FBRWS.2370	11/8"	23"	70"	\$578
FBRWS.2376	11/8"	23"	76"	\$705
FBRWS.2382	11/8"	23"	82"	\$712

NOTES

- Sizes are actual for example FBRWS.2370 is 23" x 70"

RECTANGULAR WORKSURFACE, 29" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.2940	11/8"	29"	40"	\$463
FBRWS.2946	11/8"	29"	46"	\$477
FBRWS.2952	11/8"	29"	52"	\$564
FBRWS.2958	11/8"	29"	58"	\$578
FBRWS.2964	11/8"	29"	64"	\$670
FBRWS.2970	11/8"	29"	70"	\$684
FBRWS.2976	11/8"	29"	76"	\$843
FBRWS.2982	11/8"	29"	82"	\$849

NOTES

- Sizes are actual for example FBRWS.2970 is 29" x 70"


RECTANGULAR WORKSURFACE, 35" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.3540	11/8"	35"	40"	\$488
FBRWS.3546	11/8"	35"	46"	\$495
FBRWS.3552	11/8"	35"	52"	\$869
FBRWS.3558	11/8"	35"	58"	\$878
FBRWS.3564	11/8"	35"	64"	\$888
FBRWS.3570	11/8"	35"	70"	\$898
FBRWS.3576	11/8"	35"	76"	\$906
FBRWS.3582	11/8"	35"	82"	\$1,036

NOTES

- Sizes are actual for example FBRWS.3570 is 35" x 70"

Corner



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FBCWS.2340
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)
grommet color: Cloud White


CORNER
WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBCWS.2340	1 1/8"	23"	40"	\$645
FBCWS.2346	1 1/8"	23"	46"	\$682
FBCWS.2940	1 1/8"	29"	40"	\$702
FBCWS.2946	1 1/8"	29"	46"	\$737

NOTES

- Sizes are actual for example FBCWS.2346 is 23" x 46"

90° Extended Curved Corner



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add \$75 list) Specify grommet placement (see page 9)
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FBECWS.23345823L
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

23" D CONNECTING SIDE 23" D EXTENSION 34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECWS.23345823L	11/8"	23"	34"	58"	23"	\$740
FBECWS.23345823R	11/8"	23"	34"	58"	23"	\$740
FBECWS.23346423L	11/8"	23"	34"	64"	23"	\$824
FBECWS.23346423R	11/8"	23"	34"	64"	23"	\$824
FBECWS.23347023L	11/8"	23"	34"	70"	23"	\$838
FBECWS.23347023R	11/8"	23"	34"	70"	23"	\$838
FBECWS.23347623L	11/8"	23"	34"	76"	23"	\$1,004
FBECWS.23347623R	11/8"	23"	34"	76"	23"	\$1,004
FBECWS.23348223L	11/8"	23"	34"	82"	23"	\$1,114
FBECWS.23348223R	11/8"	23"	34"	82"	23"	\$1,114

29" D CONNECTING SIDE 29" D EXTENSION 34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECWS.29345829L	11/8"	29"	34"	58"	29"	\$810
FBECWS.29345829R	11/8"	29"	34"	58"	29"	\$810
FBECWS.29346429L	11/8"	29"	34"	64"	29"	\$895
FBECWS.29346429R	11/8"	29"	34"	64"	29"	\$895
FBECWS.29347029L	11/8"	29"	34"	70"	29"	\$906
FBECWS.29347029R	11/8"	29"	34"	70"	29"	\$906
FBECWS.29347629L	11/8"	29"	34"	76"	29"	\$1,074
FBECWS.29347629R	11/8"	29"	34"	76"	29"	\$1,074
FBECWS.29348229L	11/8"	29"	34"	82"	29"	\$1,180
FBECWS.29348229R	11/8"	29"	34"	82"	29"	\$1,180

**23" D CONNECTING SIDE
23" D EXTENSION
40" D**

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23405823L	11/8"	23"	40"	58"	23"	\$891
FBECCWS.23405823R	11/8"	23"	40"	58"	23"	\$891
FBECCWS.23406423L	11/8"	23"	40"	64"	23"	\$1,002
FBECCWS.23406423R	11/8"	23"	40"	64"	23"	\$1,002
FBECCWS.23407023L	11/8"	23"	40"	70"	23"	\$1,017
FBECCWS.23407023R	11/8"	23"	40"	70"	23"	\$1,017
FBECCWS.23407623L	11/8"	23"	40"	76"	23"	\$1,232
FBECCWS.23407623R	11/8"	23"	40"	76"	23"	\$1,232
FBECCWS.23408223L	11/8"	23"	40"	82"	23"	\$1,376
FBECCWS.23408223R	11/8"	23"	40"	82"	23"	\$1,376

**29" D CONNECTING SIDE
29" D EXTENSION
40" D**

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29405829L	11/8"	29"	40"	58"	29"	\$959
FBECCWS.29405829R	11/8"	29"	40"	58"	29"	\$959
FBECCWS.29406429L	11/8"	29"	40"	64"	29"	\$1,070
FBECCWS.29406429R	11/8"	29"	40"	64"	29"	\$1,070
FBECCWS.29407029L	11/8"	29"	40"	70"	29"	\$1,086
FBECCWS.29407029R	11/8"	29"	40"	70"	29"	\$1,086
FBECCWS.29407629L	11/8"	29"	40"	76"	29"	\$1,302
FBECCWS.29407629R	11/8"	29"	40"	76"	29"	\$1,302
FBECCWS.29408229L	11/8"	29"	40"	82"	29"	\$1,444
FBECCWS.29408229R	11/8"	29"	40"	82"	29"	\$1,444


**23" D CONNECTING SIDE
23" D EXTENSION
46" D**

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23465823L	11/8"	23"	46"	58"	23"	\$904
FBECCWS.23465823R	11/8"	23"	46"	58"	23"	\$904
FBECCWS.23466423L	11/8"	23"	46"	64"	23"	\$1,017
FBECCWS.23466423R	11/8"	23"	46"	64"	23"	\$1,017
FBECCWS.23467023L	11/8"	23"	46"	70"	23"	\$1,040
FBECCWS.23467023R	11/8"	23"	46"	70"	23"	\$1,040
FBECCWS.23467623L	11/8"	23"	46"	76"	23"	\$1,266
FBECCWS.23467623R	11/8"	23"	46"	76"	23"	\$1,266
FBECCWS.23468223L	11/8"	23"	46"	82"	23"	\$1,420
FBECCWS.23468223R	11/8"	23"	46"	82"	23"	\$1,420

**29" D CONNECTING SIDE
29" D EXTENSION
46" D**

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29465829L	11/8"	29"	46"	58"	29"	\$974
FBECCWS.29465829R	11/8"	29"	46"	58"	29"	\$974
FBECCWS.29466429L	11/8"	29"	46"	64"	29"	\$1,086
FBECCWS.29466429R	11/8"	29"	46"	64"	29"	\$1,086
FBECCWS.29467029L	11/8"	29"	46"	70"	29"	\$1,110
FBECCWS.29467029R	11/8"	29"	46"	70"	29"	\$1,110
FBECCWS.29467629L	11/8"	29"	46"	76"	29"	\$1,335
FBECCWS.29467629R	11/8"	29"	46"	76"	29"	\$1,335
FBECCWS.29468229L	11/8"	29"	46"	82"	29"	\$1,483
FBECCWS.29468229R	11/8"	29"	46"	82"	29"	\$1,483

Rectangular Extension Freestanding Application



With Flat Brackets installed

DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 Stage base only)


SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8

ORDER EXAMPLE


product #: FBRWS.2324
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

RECTANGULAR WORKSURFACE



STANDARD GRAIN



PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FBRWS.2324	11/8"	23"	24"	\$308	• Standard default grain direction is left to right (See left)
FBRWS.2330	11/8"	23"	30"	\$353	
FBRWS.2336	11/8"	23"	36"	\$364	
FBRWS.2924	11/8"	29"	24"	\$408	
FBRWS.2930	11/8"	29"	30"	\$465	
FBRWS.2936	11/8"	29"	36"	\$478	



CROSS GRAIN

PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FBRWS.2324-CG	11/8"	23"	24"	\$368	• Cross grain direction is front to back (See left)
FBRWS.2330-CG	11/8"	23"	30"	\$422	
FBRWS.2336-CG	11/8"	23"	36"	\$436	
FBRWS.2924-CG	11/8"	29"	24"	\$490	
FBRWS.2930-CG	11/8"	29"	30"	\$559	
FBRWS.2936-CG	11/8"	29"	36"	\$574	

D-Shaped



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8


ORDER EXAMPLE

product #:FBEDSP.2346
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White

D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE	NOTES
FBEDSP.2346	11/8"	46"	23"	—	—	\$590	<ul style="list-style-type: none">• Sizes are actual for example FBEDSP.2346 is 23" x 46"• Power Grommet not available on 46"W D-Tops
FBEDSP.2358	11/8"	58"	23"	—	—	\$658	
FBEDSP.2946	11/8"	46"	29"	—	—	\$647	
FBEDSP.2958	11/8"	58"	29"	—	—	\$718	
FBEDSP.2970	11/8"	70"	29"	—	—	\$783	
FBEDSP.3570	11/8"	70"	35"	—	—	\$865	

Wedge



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FBWDWS.234029
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White


23"D LEFT 29"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.234029	1 1/8"	23"	40"	29"	—	\$458
FBWDWS.234629	1 1/8"	23"	46"	29"	—	\$466
FBWDWS.235229	1 1/8"	23"	52"	29"	—	\$530
FBWDWS.235829	1 1/8"	23"	58"	29"	—	\$567
FBWDWS.236429	1 1/8"	23"	64"	29"	—	\$633
FBWDWS.237029	1 1/8"	23"	70"	29"	—	\$647
FBWDWS.237629	1 1/8"	23"	76"	29"	—	\$751

29"D LEFT 23"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.294023	1 1/8"	29"	40"	23"	—	\$458
FBWDWS.294623	1 1/8"	29"	46"	23"	—	\$466
FBWDWS.295223	1 1/8"	29"	52"	23"	—	\$530
FBWDWS.295823	1 1/8"	29"	58"	23"	—	\$567
FBWDWS.296423	1 1/8"	29"	64"	23"	—	\$633
FBWDWS.297023	1 1/8"	29"	70"	23"	—	\$647
FBWDWS.297623	1 1/8"	29"	76"	23"	—	\$751

120° Corner / 90° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8


ORDER EXAMPLE

product #: FB120-90WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: 120GR
grommet color: Cloud White

120° CORNER
90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-90WS.2334	11/8"	23"	34"	—	—	\$845
FB120-90WS.2340	11/8"	23"	40"	—	—	\$1,041
FB120-90WS.2346	11/8"	23"	46"	—	—	\$1,297

120° Corner / 120° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify grommet placement (see page 9)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FB120-120WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: 120GR

120° CORNER
120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-120WS.2334	11/8"	23"	34"	—	—	\$845
FB120-120WS.2340	11/8"	23"	40"	—	—	\$1,041
FB120-120WS.2346	11/8"	23"	46"	—	—	\$1,297