MY-HITE

COLLECTION

GSA Schedule

Contract Period: June 29, 2023 to June 28, 2028
Contract Number: 47QSMA23D08Q6
SIN: 33721

CMAS
Contract Period: June 29, 2023 to June 28, 2028
CMAS contract number: 4-24-11-1011

FRÍANT | ALL WORKSTYLES WELCOME

TABLE OF CONTENTS

INTRODUCTION

Terms and Conditions 3
Standard Fabrics 5
Pattern Direction 6
Standard Finishes 7

MY-HITE

Grommet Locations 8-14
Power Grommet 14
How to specify 2 piece tops 15
Mobile Pedestals 16
Flyp Screens 18
Freestanding Application 17
Workstation Application 18
Beam Application 19

3 STAGE SPECIFIC

Base Application & Electrical Draw 20
Trough Cover Dimension 21
Recommended Top Application 22
Recommended Anti-Sag Bar Application 23
Technical Specifications 24

2 STAGE SPECIFIC

Base Application & Electrical Draw 26
Understructure Dimensions 27
Recommended Top Application 28
Technical Specifications 29

BEAM

Worksurface Planning Guide 71

SPECIFY 3 STAGE BASE

Straight T-Leg 32
Straight C-Leg 33
Corner T-Leg 34
Corner C-Leg 35
Corner T-Leg Post 36
Corner C-Leg Post 37

SPECIFY 2 STAGE BASE

Straight T-Leg 39
Corner T-Leg 40

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular 42
Corner 43
90° Extended Curved Corner 44
Rectangular Extension 47
D-Shaped 49
Wedge 50
120° Corner / 90° Ends 51
120° Corner / 120° Ends 52

PRIVACY SCREENS

Modesty Panel, Laminate 53
Privacy Screen, Fabric 54
Privacy Screen, Marker Board 55
Privacy Screen, Laminate 56
Worksurface Mounted Screens, Clear 57
Worksurface Mounted Screens, Frosted 58
Worksurface Mounted Screens, Fabric 59
Flyp Screens 61

MOBILE PEDESTAL

Mobile Pedestal 60
Keyed Alike 61

MONITOR ARMS

Monitor Arms 62

TABLE POWER COMPONENTS

Power Grommet 63
Power Distribution 64

ACCESSORIES

Wire Manager 67
Mesh Wire Manager 65
Casters 67
Conversion Kit 67
Desk Mounted Power Unit 68

SHIELD FREESTANDING PANELS

Freestanding Laminate Panel, Feet 66
Freestanding Laminate Panel, Casters 67
Freestanding Markerboard Panel, Feet 68
Freestanding Markerboard Panel, Casters 69

SPECIFY BEAM

Laminate Insert Package 72
Gallery Panels 74
Beam Mounted Screens 76

WORKSURFACES FOR USE WITH BEAM

Rectangular 78
Corner 79
90° Extended Curved Corner 80
Rectangular Extension 82
D-Shaped 83
Wedge 84
120° Corner / 90° Ends 85
120° Corner / 120° Ends 85

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Terms and Conditions

PRICES
Pricing is delivered, freight included to 48 contiguous states. Specific requirements apply, minimum order required, see freight policy for details. See complete freight rules and policy on www.friant.com.

ORDERING
Purchase Orders should be sent to orders@friant.com or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA or Project Matrix, please send the worksheet (.SP4, or .SIF) with your Purchase Order.

TERMS
Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS
Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

LEAD TIME
Lead times are subject to availability, see www.Friant.com for details.

SHIPPING
Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS
We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS
No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS
We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE/CANCELLATIONS
Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

SHIPMENT AND PREPAID FREIGHT
Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY
We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE
If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

Terms and Conditions

CONSTRUCTION — SPECIFICATIONS
All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION
Standard fabric application is non-directional. Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL
Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES
Warranty information for all Friant products can be found in the Dealer Resource Center (dealers.friant.com/warranty) or on the Friant website (www.friant.com/warranty)

CALIFORNIA PROP 65 WARNING
Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

CARB
Friant products are CARB 93120 compliant for formaldehyde (phase 2)

TSCA TITLE VI
Friant products are TSCA Title VI Compliant

MAS
Accredited Compliance Designation - ANSI/BIFMA x7.1-2011(2021) & e3-2024 Sect. 7.6.1, 7.6.2, 7.6.3
California Dept. Of Public Health Standard Method v1.2
Conforms With: LEED v4.1 & v5.0 ID+C, BD+C
Criteria of MAS Certified Green ® Program

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Standard Fabrics

JOURNEY		TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-13	Mustard				
PF801-8	Wayfare			PF101-14	Avocado				
				PF101-15	Pumpkin				
				PF101-16	Ocean				
				PF101-17	Blueberry				
				PF101-18	Cardinal				
				PF101-19	Flamingo				
				PF101-20	Serenity				
				PF101-21	Azure				
				PF101-22	Orchid				
				PF101-23	Plum				
				PF101-24	Raven				

LIMITED AVAILABILITY

SLIDE		STICKS		PASSAGE	
PF101-4	Verde	PF501-3	Sage	PF601-8	Amber
PF101-6	Vintage				

Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.

NOTES:

- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens.
- Please refer to the Fabric Direction Section in the Materials Reference Guide on the Dealer Resource Center for more details: http://dealers.friant.com/dealers/product-literature/
- Order fabric / finish sample online at www.friant.com
- Colors may vary slightly between dye lots.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products : http://dealers.friant.com/dealers/product-literature/
- Our Customer Success Team is happy to answer any questions regarding fabric direction.

Non - Directional Application Shown	Directional Application Shown
	

MY-HITE COLLECTION

Standard Finishes

For matching edge PVC, please read across matrix.

WORKSURFACE LAMINATES		EDGE LAMINATES (3MM PVC)	
M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
M3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M6	Light Gray	E6	Light Gray
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M16	Tundra	E19	Tundra
M18	Capitan	E21	Capitan
M19	Fog	E22	Fog
M20	Sandstone	E23	Sandstone
M23	Bark	E26	Bark
M25	Winter	E28	Winter
M26	Storm	E29	Storm
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
M29	Raven	E32	Raven
M30	Barley	E33	Barley
M31	Camel	E34	Camel

Note: For other worksurface finish, please contact our Customs team

*Complimentary Edge Finishes	
E8	Black Umber
E11	Medium Tone
E12	Dark Tone

Complimentary edge finishes have no exact laminate match available

Order samples at
www.friant.com/samples

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

PAINT TRIM

CW Cloud White

BU Black Umber

SV Silver

STANDARD GROMMET FINISHES

CW Cloud White

BU Black Umber

SV Silver

POWER GROMMET FINISHES

BA Brushed Aluminum

BC Brushed Charcoal

CW Cloud White

FOAM CUSHION

Red

Charcoal

Café

Grey

COLOR PEDESTAL TOP

Green

Blue

Red

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Grommet Locations, My-Hite Tops

1 Select a My-Hite worksurface

My-Hite tops (see page 42) offer optional grommets. (Please use the codes shown when specifying location of grommets). An upcharge of $75 applies per grommet.

Choose	Specify Part #	Specify worksurface and edge
	FCCAHS-24366024R	M16 Tundra E19 Tundra

2a Select a grommet location, Rectangular Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.



CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
G1	Pair of grommets, GL and GR
G5	Three grommets, GL-GC-GR

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.

2b Select a grommet location, Extended Corner Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.



Left handed

Extended Corner, Left Handed

CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GCOR	Corner, 4" from Rear
GSR	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.



Right handed

Extended Corner, Right Handed

CODE	POSITION
GCOR	Corner, 4" from Rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
GSL	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.

Grommet Locations

2c Select a grommet location, D-Shaped Tops

Specify positioning by using the designated codes. Non-standard or multiple grommet locations must be quoted through Customs.



CODE	POSITION
GC	Centered from side to side - 4” from rear

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.

2d Select a grommet location, 120° Tops

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.



CODE	POSITION
120GL	4" from left side - 4" from rear
120GCOR	Corner - 4” from rear
120GR	4” from right side - 4” from rear

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.

2e Select a grommet location, 90° Equal Corners

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.



CODE	POSITION
GSL	4" from left side - 4" from rear
GCOR	Corner - 4” from rear
GSR	On Return, 4" From Edge - 4" From Rear

Dimensions are measured from grommet center to top edge.

Grommets are 3" round with cover standard.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces (Contact factory for availability)

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 63. An upcharge of $75 applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 42)

2 Select a power grommet notch cutout location

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.

CODE	POSITION
PG5L-C	11" from left side
PG5C-C	Centered
PG5R-C	11" from right side

Dimensions are measured from grommet center to top edge.









120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG5L-C	4.5” from left side
PG5R-C	4.5” from right side

Dimensions are measured from grommet center to top edge.

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces (Contact factory for availability)

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 63. An upcharge of $75 applies for cutouts.

NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 42)

2 Select a power grommet interior cutout location

Specify positioning by using the designated codes. Only (1) Grommet code selection allowed per worksurface. Non-standard or multiple grommet locations must be quoted through Customs.

CODE	POSITION
PG6L	11" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	11" from right side, 1.5" from back
PG5L	11" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	11" from right side, 1.5" from back

Dimensions are measured from grommet center to top edge.



Power Grommet not available on 46"W D-Tops







120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG6L	4.5” from left side, 1.5” from back
PG6R	4.5” from right side, 1.5” from back
PG5L	4.5” from left side, 1.5” from back
PG5R	4.5” from right side, 1.5” from back

Dimensions are measured from grommet center to top edge.

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet (Contact factory for availability)

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet, finishes available on page 63 .

POWER GROMMETS

6x8

(2) CAT6 Data Ports

(4) Power Outlets

(2) USB Ports

5x8

(2) CAT6 Data Ports

(3) Power Outlets

(2) USB Ports





INCLUDES SPRING CORD
(Not shown) For connection to power source

How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops

Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only).

Specify the Rectangular Extension on page 82.

To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.





To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.





Mobile Pedestals

My-Hite pedestals are a compact storage option designed to fit under height adjustable tables at their lowest setting. Choose the color of the pedestal, and, as options, the color of the foam cushion and the color of the top cap. Pedestals include pencil tray, mail slot and keyed alike options for locks. Front to back file bars are included.



BOX/FILE MOBILE PEDESTAL
Top of pedestal is finished

MAIL SLOT

PENCIL TRAY

LOCKING
Keyed alike option is available. (page 60)

BOX/FILE PEDESTAL
Ships standard with (2) locking and (2) non-locking casters.



OPTIONAL FOAM CUSHION
Mobile pedestals can be topped with a foam cushion.

LOCKING
Keyed alike option is available.

FRONT TO BACK FILE BAR
ship standard.

Freestanding Application Example of My-Hite

As a Standalone

- Order Base (page 32)
- Order Top (page 42)

Note: Dimensions are actual for standalone tops



Freestanding Workstation Example

- **Base:** FSQAHBT-24-3

3 stage base range 24.5"-50", page 32

- **Worktop:** FSQAHT-2472

Rectangular worksurface, page 42

- **Privacy Screen:** FPSFLUSH.2472

Fabric covered privacy screen, page 54

- **Credenza:** FCREDSQAP.48L

Freestanding credenza, Novo Pricebook, page 82

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Workstation Application Example of My-Hite (Interra)

As part of a Workstation

- Order Base (page 32 or 39)
- Order Top within System Pricebook
  - System 2
  - Dash
  - Verity
  - Novo
  - Interra

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation appplications.



Interra Workstation Example:

- **Base:** FCNAHBT-24-3
  3 stage base range 24.5"-50", page 34
- **Worksurface:** FIECCWS.29467029 L/R
  Corner worksurface top only. For use with height adjustable base within workstation application - Interra Pricebook, page 70

Beam Application Example of My-Hite

With Beam Application

- Order Base (page 32 or 39)
- Order Top (page 78)

Note: Top size reduced 1" in depth and 2" in width to fit with beam application and prevent pinch points. See page 78. We do not recommend using full size worktops with beam application.



Beam Workstation Example:

- **Base:** Straight Base
  3 stage base range 24.5"- 50", page 32
- **Worksurface:** FBRWS.2370
  Straight worksurface top only. For use with height adjustable base within beam application.- page 78

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Base Application — 3 stage

Worksurface depth



Electrical Draw of My-Hite — 3 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	-	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	360W	4.16 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	2.08 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	-	0 AMP

Electrostatic Discharge Rating - 3 stage

Base

Contact Discharge	±8kV
Air Discharge	±12kV

Display

Contact Discharge	±15kV
Air Discharge	±22kV

Trough Cover Dimensions — 3 stage

Fixed trough cover is 2.5” tall and 8” deep

T Style Base
72” wide tops shown





24” D top on 24”D base



30” D top on 24”D base

C Style Base
72” wide tops shown





24” D top on 24”D base



30” D top on 24”D base

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Recommended Top Application — 3 stage

Corner Worksurfaces

1 120° Tops

NOTES: 120° corners - use straight base on 36" and 42" wide worksurfaces.
Use corner base on worksurfaces 48" or larger.



36" Top
(Straight Base)



42" Top
(Straight Base)



48" Top
(Corner Base)

2 90° Tops

NOTES 90° corners - straight base is an option for 48" worksurfaces only.
Use corner base on 42" or extended corners.



All Corner Tops, Min: 42"
(Corner Base)



48" Top Only
(Straight Base or Corner Base)
straight base shown



All Extended Corner Tops
(Corner Base)
72X72" top shown

Recommended Anti-Sag Bar Application — 3 Stage Corner Base

When specifying two piece corners, the tops should be oriented so that the seam is supported by the continuous part of the base (see page 15). For some 3 stage corner base applications, we recommend adding an anti-sag bar for additional support. Specify anti-sag bars on page 48

For a 66”W or 72”W top, order a **FWASB.42** anti-sag bar





For a 78”W or 84”W top, order a **FWASB.54** anti-sag bar





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Technical Specifications — 3 Stage

Straight Legs

See pages 32-33

Display	Digital display with three programmable presets
Foot Length in inches	22” and 28” available for 24” and 30”, 36” worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75’’ x 2.75’’
Height range (excluding top)	24.5”- 50”
Frame width expansion	Width extendable 38”- 68” in 1 mm increments
Worksurface widths	42” - 84”, See pages 42 to 52
Worksurface depths	24”, 30” and 36”, See pages 42 to 52
Power Cord Length	9’
Max lifting capacity	220 lbs
Base weight without top	62 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

Technical Specifications — 3 Stage

Corner

See pages 34 to 37

Display	Digital display with three programmable presets
Foot Length in inches	22” and 28” available for 24” and 30”, 36” worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75’’ x 2.75’’
Height range (excluding top)	24.5”- 50”
Frame width expansion	Width extendable 38”- 68” in 1 mm increments
Worksurface widths	42” - 84”, See pages 42 to 52
Worksurface depths	24”, 30” and 36”, See pages 42 to 52
Power Cord Length	9’
Max lifting capacity	330 lbs
Base weight without top	90 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Base Application — 2 stage

Worksurface depth



Electrical Draw of My-Hite — 2 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	400W	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	400W	3 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	1.5 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	.3W	0 AMP

Understructure Dimensions — 2 stage

2 Stage Base
72” wide tops shown





24” D top on 2 Stage



30” D top on 2 Stage base

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Recommended Top Application — 2 stage

Certain sizes of My-Hite tops can be used with 2 stage bases. See below for additional information.

Rectangular (Straight Base)



Depth: 23”/24”, 29”/30”
Width: Min - 42” (no 40”)
Max - 84”

120° Corner (Straight Base)



Depth: 23”/24”
Width: Min - 36” (no 34”)
Max - 40”/42”

90° Corner (Straight Base)



Depth: 23”/24”, 29”/30”
Width: Min - 46”/48” only

Two Piece Rectangular (Corner Base)



Depth: 23”/24”, 29”/30”
Width: Min - 48”x48”
Max - 84”x84”

Two Piece Extended Curved Corner (Corner Base)



Depth: 23”/24”, 29”/30”
Width: Min - 48”x48”
Max - 84”x84”

120° Corner (Corner Base)



Depth: 23”/24”
Width: Min - 42”x42” (no 40”)
Max - 72”x72”

Technical Specifications — 2 stage

Straight Legs

See page 39

Display	Digital display with four programmable presets
Foot Options	24″ ONLY
Legs	T LEG
Leg Post Size	2.72″ x 2.72″
Height range(excluding top)	27″- 45.5″
Frame width expansion	Width extendable 41″- 74″ in 1mm increments
Worksurface widths	42″- 84″
Worksurface depths	24” - 30″
Max lifting capacity	260 lbs
Base weight without top	66 lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10′ cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 YEARS

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Technical Specifications for Bases - 2 stage

Corner Legs

See page 40

Display	Digital display with four programmable presets
Foot Options	24″
Legs	T LEG
Leg Post Size	2.72″ x 2.72″
Height range(excluding top)	27″- 45.5″
Frame width expansion	L: 40″- 62″ / R:40″- 62″
Worksurface widths	48” - 84”
Worksurface depths	24” - 30″
Max lifting capacity	330 lbs
Base weight without top	85lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10′ cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 years

SPECIFY 3 STAGE

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Straight T-Leg Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Order worksurface separately
- Base adjusts 38” to 68” wide
- Maximum recommended top: 84”
- Minimum recommended top: 40”
- Weight load 220 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 7

ORDER EXAMPLE

product #: FSQAHBT-24-3
base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBT-24-3	24.5” - 50”	38”-68”	24”	$1,652
FSQAHBT-30-3	24.5” - 50”	38”-68”	30”	$1,652

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- Minimum worksurface width: 40”
- Maximum recommended worksurface width: 84”
- 120° corners - use straight base on 36” and 42” wide worksurfaces
- 90° corners, equal or extended - use corner base, page 22 (exception: 90° 48” top uses straight base, see images)

Straight C-Leg Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Order worksurface separately
- Base adjusts 38” to 68” wide
- Maximum recommended top: 84”
- Minimum recommended top: 40”
- Weight load 220 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 7

ORDER EXAMPLE

product #: FSQAHBC-24-3
base finish: CW Cloud White

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBC-24-3	24.5” - 50”	38”-68”	24”	$1,652
FSQAHBC-30-3	24.5” - 50”	38”-68”	30”	$1,652

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- Minimum worksurface width: 40”
- Maximum recommended worksurface width: 84”
- 120° corners - use straight base on 36” and 42” wide worksurfaces
- 90° corners, equal or extended - use corner base, page 22 (exception: 90° 48” top uses straight base, see images)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner T-Leg Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (3) T-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 34”-54”
  A - 38”-68”
- Minimum recommended top: 34x40”
- Maximum recommended top: 72x96” or 84x84”
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 7

ORDER EXAMPLE

product #: FCNAHBT-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNAHBT-24-3	24.5” - 50”	40”-68”	24”	$2,375
FCNAHBT-30-3	24.5” - 50”	40”-68”	30”	$2,375

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 22 for details

Corner C-Leg Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (3) C-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 34”-54”
  A - 38”-68”
- Minimum recommended top: 34x40”
- Maximum recommended top: 72x96” or 84x84”
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 7

ORDER EXAMPLE

product #: FCNAHBC-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNAHBC-24-3	24.5” - 50”	40”-68”	24”	$2,375
FCNAHBC-30-3	24.5” - 50”	40”-68”	30”	$2,375

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 22 for details

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner T-Leg Post Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (2) T-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 34”-54”
  A - 38”-68”
- Minimum recommended top: 34x40”
- Maximum recommended top: 72x96” or 84x84”
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 7

ORDER EXAMPLE

product #: FCNPAHBT-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBT-24-3	24.5” - 50”	40”-68”	24”	$2,375
FCNPAHBT-30-3	24.5” - 50”	40”-68”	30”	$2,375

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 22 for details

Corner C-Leg Post Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (2) C-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 34”-54”
  A - 38”-68”
- Minimum recommended top: 34x40”
- Maximum recommended top: 72x96” or 84x84”
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover - see page 21
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: see page 7

ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBC-24-3	24.5” - 50”	40”-68”	24”	$2,375
FCNPAHBC-30-3	24.5” - 50”	40”-68”	30”	$2,375

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 22 for details

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SPECIFY 2 STAGE

Straight T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base range 27”- 45.5”

NOTES

- Order worksurface separately
- Base adjusts 41” to 74” wide
- Maximum recommended top: 84”
- Minimum recommended top: 42”
- Weight load - 260 lbs
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see below
base finish: page 7

ORDER EXAMPLE

product #: FSQAHBT-24-2
base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBT-24-2	27”- 45.5”	41”-74”	24”	$1,479

RECOMMENDED APPLICATION

- Supports 24” to 30” deep tops
- For use with rectangular worksurfaces, certain sizes of 120° corners or 90° corners
- See recommended top application on pg 28

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base range 27”- 45.5”

NOTES

- Order Worksurface separately
- Base is:
  A - 40” to 62”
  B - 40” to 62”
- Minimum recommended top: 48”x48”
- Maximum recommended top: 84”x84”
- For tops 72”W and larger, we recommend adding extended support bars, see notes below
- See page 28 for recommended top applications
- Rebound function may loose sensitivity on larger tables
- Weight load 330 lbs
- Maximum recommended overhang of 12”
- Supports 90, 120 or 180 degree applications

SPECIFICATION OPTIONS

product #: see below
base finish: page 7

ORDER EXAMPLE

product #: FCNAHBT-24-2
base finish: SV Silver

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-2	27”- 45.5”	40”-62”	24”	$2,179	• For use with two piece curved corner or two piece rectangular worksurfaces • See recommended top application on pg 28

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

ORDER EXAMPLE

product #: FSQAHT.3054
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet location: GL
grommet color: Cloud White

RECTANGULAR WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	LIST
FSQAHT.2442	1 1/8"	24"	42"	$431
FSQAHT.2448	1 1/8"	24"	48"	$444
FSQAHT.2454	1 1/8"	24"	54"	$525
FSQAHT.2460	1 1/8"	24"	60"	$538
FSQAHT.2466	1 1/8"	24"	66"	$618
FSQAHT.2472	1 1/8"	24"	72"	$636
FSQAHT.2478	1 1/8"	24"	78"	$776
FSQAHT.2484	1 1/8"	24"	84"	$783
FSQAHT.3042	1 1/8"	30"	42"	$509
FSQAHT.3048	1 1/8"	30"	48"	$525
FSQAHT.3054	1 1/8"	30"	54"	$620
FSQAHT.3060	1 1/8"	30"	60"	$636
FSQAHT.3066	1 1/8"	30"	66"	$737
FSQAHT.3072	1 1/8"	30"	72"	$752
FSQAHT.3078	1 1/8"	30"	78"	$927
FSQAHT.3084	1 1/8"	30"	84"	$934
FSQAHT.3642	1 1/8"	36"	42"	$537
FSQAHT.3648	1 1/8"	36"	48"	$545
FSQAHT.3654	1 1/8"	36"	54"	$956
FSQAHT.3660	1 1/8"	36"	60"	$966
FSQAHT.3666	1 1/8"	36"	66"	$977
FSQAHT.3672	1 1/8"	36"	72"	$988
FSQAHT.3678	1 1/8"	36"	78"	$997
FSQAHT.3684	1 1/8"	36"	84"	$1,140

NOTES

- Sizes are actual . for example: FSQAHT.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

Corner Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

NOTES

- Tops are intended for freestanding application
- See System pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

ORDER EXAMPLE

product #: FCCAHS.2448
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet location: GL
grommet color: Cloud White

CORNER WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	LIST
FCCAHS.2442	1 1/8"	24"	42"	$710
FCCAHS.2448	1 1/8"	24"	48"	$750
FCCAHS.3042	1 1/8"	30"	42"	$772
FCCAHS.3048	1 1/8"	30"	48"	$811

NOTES

- Sizes are actual . for example: FCCAHS.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

90° Extended Curved Corner Freestanding Application



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FCCAHS.24366024R
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White

24” D CONNECTING SIDE
24” D EXTENSION
36” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24366024L	1 1/8”	24”	36”	60”	24”	76	$814
FCCAHS.24366024R	1 1/8”	24”	36”	60”	24”	76	$814
FCCAHS.24366624L	1 1/8”	24”	36”	66”	24”	76	$906
FCCAHS.24366624R	1 1/8”	24”	36”	66”	24”	76	$906
FCCAHS.24367224L	1 1/8”	24”	36”	72”	24”	82	$922
FCCAHS.24367224R	1 1/8”	24”	36”	72”	24”	82	$922
FCCAHS.24367824L	1 1/8”	24”	36”	78”	24”	82	$1,104
FCCAHS.24367824R	1 1/8”	24”	36”	78”	24”	82	$1,104
FCCAHS.24368424L	1 1/8”	24	36”	84	24	104	$1,225
FCCAHS.24368424R	1 1/8”	24	36”	84	24	104	$1,225

30” D CONNECTING SIDE
30” D EXTENSION
36” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30366030L	1 1/8”	30”	36”	60”	30”	87	$891
FCCAHS.30366030R	1 1/8”	30”	36”	60”	30”	87	$891
FCCAHS.30366630L	1 1/8”	30”	36”	66”	30”	87	$985
FCCAHS.30366630R	1 1/8”	30”	36”	66”	30”	87	$985
FCCAHS.30367230L	1 1/8”	30”	36”	72”	30”	95	$997
FCCAHS.30367230R	1 1/8”	30”	36”	72”	30”	95	$997
FCCAHS.30367830L	1 1/8”	30”	36”	78”	30”	95	$1,181
FCCAHS.30367830R	1 1/8”	30”	36”	78”	30”	95	$1,181
FCCAHS.30368430L	1 1/8”	30”	36”	84	30”	112	$1,298
FCCAHS.330368430R	1 1/8”	30”	36”	84	30”	112	$1,298

24” D CONNECTING SIDE
24” D EXTENSION
42” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24426024L	1.25″	24″	42″	60″	24″	83	$980
FCCAHS.24426024R	1.25″	24″	42″	60″	24″	83	$980
FCCAHS.24426624L	1.25″	24″	42″	66″	24″	83	$1,102
FCCAHS.24426624R	1.25″	24″	42″	66″	24″	83	$1,102
FCCAHS.24427224L	1.25″	24″	42″	72″	24″	89	$1,119
FCCAHS.24427224R	1.25″	24″	42″	72″	24″	89	$1,119
FCCAHS.24427824L	1.25″	24″	42″	78″	24″	89	$1,355
FCCAHS.24427824R	1.25″	24″	42″	78″	24″	89	$1,355
FCCAHS.24428424L	1.25″	24	42″	84	24	104	$1,514
FCCAHS.24428424R	1.25″	24	42″	84	24	104	$1,514

30” D CONNECTING SIDE
30” D EXTENSION
42” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30426030L	1 1/8”	30″	42″	60″	30″	95	$1,055
FCCAHS.30426030R	1 1/8”	30″	42″	60″	30″	95	$1,055
FCCAHS.30426630L	1 1/8”	30″	42″	66″	30″	95	$1,177
FCCAHS.30426630R	1 1/8”	30″	42″	66″	30″	95	$1,177
FCCAHS.30427230L	1 1/8”	30″	42″	72″	30″	103	$1,195
FCCAHS.30427230R	1 1/8”	30″	42″	72″	30″	103	$1,195
FCCAHS.30427830L	1 1/8”	30″	42″	78″	30″	103	$1,432
FCCAHS.30427830R	1 1/8”	30″	42″	78″	30″	103	$1,432
FCCAHS.30428430L	1 1/8”	30″	42″	84	30″	112	$1,588
FCCAHS.30428430R	1 1/8”	30″	42″	84	30″	112	$1,588

24” D CONNECTING SIDE
24” D EXTENSION
48” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24486024L	1 1/8”	24″	48″	60″	24″	89	$994
FCCAHS.24486024R	1 1/8”	24″	48″	60″	24″	89	$994
FCCAHS.24486624L	1 1/8”	24″	48″	66″	24″	89	$1,119
FCCAHS.24486624R	1 1/8”	24″	48″	66″	24″	89	$1,119
FCCAHS.24487224L	1 1/8”	24″	48″	72″	24″	95	$1,144
FCCAHS.24487224R	1 1/8”	24″	48″	72″	24″	95	$1,144
FCCAHS.24487824L	1 1/8”	24″	48″	78″	24″	95	$1,393
FCCAHS.24487824R	1 1/8”	24″	48″	78″	24″	95	$1,393
FCCAHS.24488424L	1 1/8”	24	48″	84	24	112	$1,562
FCCAHS.24488424R	1 1/8”	24	48″	84	24	112	$1,562

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

30” D CONNECTING SIDE
30” D EXTENSION
48” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30486030L	1 1/8”	30″	48″	60″	30″	104	$1,071
FCCAHS.30486030R	1 1/8”	30″	48″	60″	30″	104	$1,071
FCCAHS.30486630L	1 1/8”	30″	48″	66″	30″	104	$1,195
FCCAHS.30486630R	1 1/8”	30″	48″	66″	30″	104	$1,195
FCCAHS.30487230L	1 1/8”	30″	48″	72″	30″	112	$1,221
FCCAHS.30487230R	1 1/8”	30″	48″	72″	30″	112	$1,221
FCCAHS.30487830L	1 1/8”	30″	48″	78″	30″	112	$1,469
FCCAHS.30487830R	1 1/8”	30″	48″	78″	30″	112	$1,469
FCCAHS.30488430L	1 1/8”	30″	48″	84	30″	112	$1,631
FCCAHS.30488430R	1 1/8”	30″	48″	84	30″	112	$1,631

Rectangular Extension Freestanding Application



With Flat Brackets installed

DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 7
edge finish: see page 7

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 stage base only)

ORDER EXAMPLE

product #: FSQAHT.2424
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

STANDARD GRAIN



PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST
FSQAHT.2424	1 1/8"	24"	24"	$339
FSQAHT.2430	1 1/8"	24"	30"	$388
FSQAHT.2436	1 1/8"	24"	36"	$400
FSQAHT.2442	1 1/8"	24"	42"	$431
FSQAHT.2448	1 1/8"	24"	48"	$444
FSQAHT.2454	1 1/8"	24"	54"	$525
FSQAHT.2460	1 1/8"	24"	60"	$538
FSQAHT.3024	1 1/8"	30"	24"	$449
FSQAHT.3030	1 1/8"	30"	30"	$512
FSQAHT.3036	1 1/8"	30"	36"	$526
FSQAHT.3042	1 1/8"	30"	42"	$509
FSQAHT.3048	1 1/8"	30"	48"	$525
FSQAHT.3054	1 1/8"	30"	54"	$620
FSQAHT.3060	1 1/8"	30"	60"	$636

NOTES

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points
- Standard default grain direction is left to right (See left)

CROSS GRAIN



PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST
FSQAHT.2430-CG	1 1/8"	24"	30"	$464
FSQAHT.2436-CG	1 1/8"	24"	36"	$480
FSQAHT.2442-CG	1 1/8"	24"	42"	$517
FSQAHT.2448-CG	1 1/8"	24"	48"	$534
FSQAHT.2454-CG	1 1/8"	24"	54"	$629
FSQAHT.2460-CG	1 1/8"	24"	60"	$646
FSQAHT.3024-CG	1 1/8"	30"	24"	$539
FSQAHT.3036-CG	1 1/8"	30"	36"	$631
FSQAHT.3042-CG	1 1/8"	30"	42"	$612
FSQAHT.3048-CG	1 1/8"	30"	48"	$629
FSQAHT.3054-CG	1 1/8"	30"	54"	$744
FSQAHT.3060-CG	1 1/8"	30"	60"	$763

NOTES

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points
- Cross grain direction is front to back (See left)
- For 24"x24" and 30"x30" cross grain tops, standard tops can be rotated 90 degrees

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

FLAT BRACKET



PART #	WIDTH	DEPTH	LIST
FVFB.08	8”	2”	$44

NOTES

- Used to unite two worksurfaces supported by one base. See page 15.
- Use a Flat Bracket pair to attach an Extended Curved Corner with a Rectangular Extension.
- Sold in pairs
- Black finish

ANTI-SAG BARS

PART #	WIDTH	LIST
FWASB.42	42”	$136
FWASB.54	54”	$174
FWASB.66	66”	$210

NOTES

- See application guide on page 23 for anti-sag bar use with 3-stage corner My-Hite bases
- Anti-Sag bar, 42” wide with (8) screws. For use with 48 & 54” freestanding or panel-mounted worktops
- Anti-Sag bar, 54” wide with (10) screws. For use with 60 & 66” freestanding or panel-mounted worktops
- Anti-Sag bar, 66” wide with (12) screws. For use with 72 & 78” freestanding or panel-mounted worktops

D-Shaped Freestanding Application





DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #: FDAHT.2448
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: GC
grommet color: Cloud White

D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FDAHT.2448	1 1/8"	48"	24"	—	—	$649
FDAHT.2460	1 1/8	60"	24"	—	—	$724
FDAHT.3048	1 1/8"	48"	30"	—	—	$712
FDAHT.3060	1 1/8"	60"	30"	—	—	$790
FDAHT.3072	1 1/8"	72"	30"	—	—	$861
FDAHT.3672	1 1/8"	72"	36"	—	—	$952

NOTES

- Sizes are actual - for example: FDAHT.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Power grommets not available on 48"W D-Tops.
- Topsize not reduced to eliminate pinch points

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Wedge Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #: FWDAHT.244230
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White

24"D LEFT 30"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.244230	1 1/8"	24"	42"	30"	—	$504
FWDAHT.244830	1 1/8"	24"	48"	30"	—	$513
FWDAHT.245430	1 1/8"	24"	54"	30"	—	$583
FWDAHT.246030	1 1/8"	24"	60"	30"	—	$624
FWDAHT.246630	1 1/8"	24"	66"	30"	—	$696
FWDAHT.247230	1 1/8"	24"	72"	30"	—	$712
FWDAHT.247830	1 1/8"	24"	78"	30"	—	$826

NOTES

- Sizes are actual - for example: FWDAHT-244230 is 23 7/8" x 41 7/8" x 29 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

30"D LEFT 24"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.304224	1 1/8"	30"	42"	24"	—	$504
FWDAHT.304824	1 1/8"	30"	48"	24"	—	$513
FWDAHT.305424	1 1/8"	30"	54"	24"	—	$583
FWDAHT.306024	1 1/8"	30"	60"	24"	—	$624
FWDAHT.306624	1 1/8"	30"	66"	24"	—	$696
FWDAHT.307224	1 1/8"	30"	72"	24"	—	$712
FWDAHT.307824	1 1/8"	30"	78"	24"	—	$826

120° Corner / 90° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #: F120AHT-90WS.2436
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: 120GL
grommet color: Cloud White

120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-90WS.2436	1 1/8"	24"	36"	—	—	$930
F120AHT-90WS.2442	1 1/8"	24"	42"	—	—	$1,145
F120AHT-90WS.2448	1 1/8"	24"	48"	—	—	$1,427

NOTES

- Sizes are actual - for example: F120AHT-90WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

120° Corner / 120° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement (see page 8)

ORDER EXAMPLE

product #: F120AHT-120WS.2436
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: 120GL
grommet color: Cloud White

120° CORNER
120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-120WS.2436	1 1/8"	24"	36"	—	—	$930
F120AHT-120WS.2442	1 1/8"	24"	42"	—	—	$1,145
F120AHT-120WS.2448	1 1/8"	24"	48"			$1,427

NOTES

- Sizes are actual - for example: F120AHT-120WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

NOTES

- Actual modesty is shorter than the worktop to clear the My-Hite base.
- Example: FAHLMOD.1648 for use on 46”/48” width table, actual width is 40”

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 7

ORDER EXAMPLE

product #: FAHLMOD.0860
paint: CW, Cloud White
laminate: M12, Medium Walnut

Laminate Modesty Panel

PART #	HEIGHT	WIDTH	LIST
FAHLMOD.0842	8”	34”	$264
FAHLMOD.0848	8”	40”	$274
FAHLMOD.0854	8”	46”	$282
FAHLMOD.0860	8”	52”	$417
FAHLMOD.0866	8”	58”	$425
FAHLMOD.0872	8”	64”	$433
FAHLMOD.0878	8”	70”	$442
FAHLMOD.1642	16”	34”	$326
FAHLMOD.1648	16”	40”	$334
FAHLMOD.1654	16”	46”	$343
FAHLMOD.1660	16”	52”	$528
FAHLMOD.1666	16”	58”	$536
FAHLMOD.1672	16”	64”	$543
FAHLMOD.1678	16”	70”	$553

NOTES

- Modesty panel will be shorter than top to clear the My-Hite base.

Example:

1. FSQAHT-2460 order FAHLMOD.1660 (actual width 52”)
2. FIRWS.2370 (Interra pricebook) order FAHLMOD.1672 (actual width 64”)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

- Fabric screen is non-tackable
- To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order “with gap”.
- Actual screen is shorter than the worktop.
- Example: FPSFLUSH.2448 for use on 46”/48” width table, actual width of screen is 40”.
- Fabric screen is magnetic.
- **Passage and Terrain fabric not approved for this application**

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
fabric: see page 5 (Passage and Terrain fabric not approved for this application)

ORDER EXAMPLE

product #: FPSFLUSH.2448
brackets: SV, Silver
fabric: PF-101-2 Slide, Slate

Fabric Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24”	34”	$738
FPSFLUSH.2448	24”	40”	$799
FPSFLUSH.2454	24”	46”	$859
FPSFLUSH.2460	24”	52”	$923
FPSFLUSH.2466	24”	58”	$987
FPSFLUSH.2472	24”	64”	$1,048

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.
- Example:
- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52”)

Fabric Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24”	34”	$738
FPSGAP.2448	24”	40”	$799
FPSGAP.2454	24”	46”	$859
FPSGAP.2460	24”	52”	$923
FPSGAP.2466	24”	58”	$987
FPSGAP.2472	24”	64”	$1,048

NOTES

- With 1” gap at back of worksurface for cord/ wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)

Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

- To use a wire manager on your My-Hite table with a marker board privacy screen, you must order "with gap".
- Marker board screen is writable on both sides
- Privacy screen edgebanding is white.
- Actual screen is shorter than the worktop.
- Example: FMPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2448
brackets: SV, Silver

Marker Board Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24"	34"	$892
FMPSFLUSH.2448	24"	40"	$1,022
FMPSFLUSH.2454	24"	46"	$1,151
FMPSFLUSH.2460	24"	52"	$1,282
FMPSFLUSH.2466	24"	58"	$1,411
FMPSFLUSH.2472	24"	64"	$1,541

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSFLUSH.2460 (actual width 52")

Marker Board Privacy Screen- with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FMPSGAP.2442	24"	34"	$892
FMPSGAP.2448	24"	40"	$1,022
FMPSGAP.2454	24"	46"	$1,151
FMPSGAP.2460	24"	52"	$1,282
FMPSGAP.2466	24"	58"	$1,411
FMPSGAP.2472	24"	64"	$1,541

NOTES

- With 1" gap at back of worksurface for cord/ wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSGAP.2460 (actual width 52")

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

- To use a wire manager on your My-Hite table with a laminate privacy screen, you must order “with gap”.
- Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
finish: see page 7

ORDER EXAMPLE

product #: FPSFLUSH.2454
brackets: SV, Silver

Laminate Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24”	34”	$480
FLPSFLUSH.2448	24”	40”	$536
FLPSFLUSH.2454	24”	46”	$589
FLPSFLUSH.2460	24”	52”	$641
FLPSFLUSH.2466	24”	58”	$696
FLPSFLUSH.2472	24”	64”	$749

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52”)

Laminate Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24”	34”	$480
FLPSGAP.2448	24”	40”	$536
FLPSGAP.2454	24”	46”	$589
FLPSGAP.2460	24”	52”	$641
FLPSGAP.2466	24”	58”	$696
FLPSGAP.2472	24”	64”	$749

NOTES

- With 1” gap at back of worksurface for cord/wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FLPSGAP.2460 (actual width 52”)

Worksurface Mounted Screens, Clear



DESCRIPTION

Surface mounted glass screens, including hardware.

NOTES

- Includes: (2) supporting brackets for screens up to 48”W, (3) supporting brackets for screens 54”W and wider.
- Mounts to any laminate/veneer worksurface top.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

ORDER EXAMPLE

product #: FWSMG.0824-CL
paint: SV Silver

Glass Screens, Clear 8” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-CL	8”	24”	$209
FWSMG.0830-CL	8”	30”	$226
FWSMG.0836-CL	8”	36”	$244
FWSMG.0842-CL	8”	42”	$261
FWSMG.0848-CL	8”	48”	$277
FWSMG.0854-CL	8”	54”	$364
FWSMG.0860-CL	8”	60”	$382
FWSMG.0866-CL	8”	66”	$398
FWSMG.0872-CL	8”	72”	$414

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Clear 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-CL	14”	24”	$262
FWSMG.1430-CL	14”	30”	$290
FWSMG.1436-CL	14”	36”	$318
FWSMG.1442-CL	14”	42”	$345
FWSMG.1448-CL	14”	48”	$376
FWSMG.1454-CL	14”	54”	$474
FWSMG.1460-CL	14”	60”	$501
FWSMG.1466-CL	14”	66”	$526
FWSMG.1472-CL	14”	72”	$551

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Clear 15” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-CL	15”	22”	$358
FWSMG.1528-CL	15”	28”	$382

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Worksurface Mounted Screens, Frosted



DESCRIPTION

Surface mounted glass screens, including hardware

NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

ORDER EXAMPLE

product #: FWSMG.0824-FR
paint: SV Silver

Glass Screens, Frosted 8" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-FR	8"	24"	$292
FWSMG.0830-FR	8"	30"	$330
FWSMG.0836-FR	8"	36"	$369
FWSMG.0842-FR	8"	42"	$409
FWSMG.0848-FR	8"	48"	$448
FWSMG.0854-FR	8"	54"	$523
FWSMG.0860-FR	8"	60"	$538
FWSMG.0866-FR	8"	66"	$551
FWSMG.0872-FR	8"	72"	$567

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-FR	14"	24"	$408
FWSMG.1430-FR	14"	30"	$475
FWSMG.1436-FR	14"	36"	$543
FWSMG.1442-FR	14"	42"	$606
FWSMG.1448-FR	14"	48"	$677
FWSMG.1454-FR	14"	54"	$754
FWSMG.1460-FR	14"	60"	$811
FWSMG.1466-FR	14"	66"	$867
FWSMG.1472-FR	14"	72"	$925

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted 15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-FR	15"	22"	$497
FWSMG.1528-FR	15"	28"	$557

Worksurface Mounted Screens, Fabric



DESCRIPTION

Surface mounted fabric screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
fabric: see page 5 (Passage and Terrain fabric not approved for this application)

NOTES

- Includes: (2) supporting brackets for screens up to 48”W, (3) supporting brackets for screens 54”W and wider.
- Mounts to any laminate/veneer worksurface top.
- **Passage and Terrain fabric not approved for this application**

ORDER EXAMPLE

product #: FWSMTK.1424
paint: SV Silver
fabric: PF-101-2 Slide, Slate

Fabric Screens, 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1424	14”	24”	$373
FWSMTK.1430	14”	30”	$392
FWSMTK.1436	14”	36”	$470
FWSMTK.1442	14”	42”	$470
FWSMTK.1448	14”	48”	$545
FWSMTK.1454	14”	54”	$662
FWSMTK.1460	14”	60”	$700
FWSMTK.1466	14”	66”	$700
FWSMTK.1472	14”	72”	$738

NOTES

- Screen mounts to any laminate/veneer worksurface top

Fabric Screens, 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1422	14”	22”	$373
FWSMTK.1428	14”	28”	$392

NOTES

- Screen mounts to any laminate/veneer worksurface top

Fabric Screens, 24” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.2424	24”	24”	$757
FWSMTK.2430	24”	30”	$793
FWSMTK.2436	24”	36”	$927
FWSMTK.2442	24”	42”	$968
FWSMTK.2448	24”	48”	$1,079
FWSMTK.2454	24”	54”	$1,239
FWSMTK.2460	24”	60”	$1,351
FWSMTK.2466	24”	66”	$1,366
FWSMTK.2472	24”	72”	$1,477

NOTES

- Screen mounts to any laminate/veneer worksurface top

Fabric Screens, 24” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.2422	24”	22”	$751
FWSMTK.2428	24”	28”	$789

NOTES

- Screen mounts to any laminate/veneer worksurface top

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Mobile Pedestal



DESCRIPTION

Box/File mobile pedestal with lock and matching color top

SPECIFICATION OPTIONS

product #: FBFPED.MOB
finish: CW, BU, SV
foam color (if applicable): Charcoal, Café, Grey, and Red

NOTES

- Optional Foam cushion available
- Optional changeable color top available
- Key-alike available

ORDER EXAMPLE

Pedestal:
product #: FBFPED.MOB
finish: SV Silver
Cushion:
product #: FBFPED.CUSH
finish: Charcoal

MOBILE PEDESTAL



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBFPED.MOB	21.5”	15”	19 3/4”		$862

NOTES

- Finish options: SV Silver, CW Cloud White and BU Black Umber

COLOR PEDESTAL TOP



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBFPED.PT				$108

NOTES

- Color options: Green, Blue, and Red
- Please select color when ordering

FOAM CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBFPED.CUSH					$180

NOTES

- Color options: Charcoal, Café, Grey, and Red
- Please select color when ordering
- Cushion is made of foam and not fabric covered

Keyed Alike

DESCRIPTION

Keys for My-Hite pedestal

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: METAL1 -FMK

PART #	DESCRIPTION	PRICE
METAL1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	$218
METAL1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	$328
METAL1-FCK	Lock Core Change Key - Type 1 Metal Storage	$32
METAL1-FMK	Lock Core Master Key - Type 1 Metal Storage	$32
METAL1-KEYBLANK	Key Blank - Type 1 Metal Storage	$6

NOTES

- All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike
- Keyed-Alike Lock Cores are sold in sets of 4 or 6).
- Each set includes four Lock Cores, each with two keys, all with the same lock number.
- Lock core removal/change keys will need to be ordered separately.
- Additional Lock Core Removal Keys and Master Keys are available.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Monitor Arms

SINGLE MONITOR ARM

PART #	LIST
FMA-S	$780

NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.
- Includes (2) USB ports, 6’ cords

DUAL MONITOR ARM

PART #	LIST
FMA-D	$1,113

NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.
- Includes (2) USB ports, 6’ cords

Power Grommet (Contact factory for availability) Worksurface Mounted



DESCRIPTION

Worksurface mounted power/data grommet

SPECIFICATION OPTIONS

product #: see charts below
finish: BC Brushed Charcoal or CW Cloud White (contact customer success for lead time)

NOTES

- Includes 10' coiled power cord to connect to power source, or daisy chain to next power grommet

ORDER EXAMPLE

product #: FPWR.0608
finish: BC Brushed Charcoal

POWER GROMMET, 5x8



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0508		8"	5"	$862

NOTES

- Worksurface mounted power/data grommet, 5x8
- Includes 10' coiled power cord to connect to power source
- Distributes up to 10 amps
- **Above Worksurface**: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- **Below Worksurface**: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/out)

POWER GROMMET, 6x8



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0608		8"	6"	$862

NOTES

- Worksurface mounted power/data grommet, 6x8
- Includes 10' coiled power cord to connect to power source
- Distributes up to 10 amps
- **Above Worksurface**: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- **Below Worksurface**: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out)

Power Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Workstation accessories.	**product #**: see charts below **finish:** CW Cloud White, DT Dark Tone, MT Medium Tone

ORDER EXAMPLE

product #: FTB.24
finish: CW

SINGLE CIRCUIT INFEED

PART #	PRICE	NOTES
FD-BPI.1CIR	$129	• Plug-in power infeed for use with table power distribition • 8’ cord

TABLE POWER DISTRIBUTION

PART #	NOTES
FD-SFC-306-4A	• Use with single circuit infeed (FD-BPI.1CIR) • Power strip to attaches to the underside of tabletops.

DAISY CHAIN POWER CONNECTOR

PART #	PRICE	NOTES
FD-DCI.1CIR	$129	• Connects adjacent table power distribution 8’ cord

Accessories

MESH WIRE MANAGER

PART #	LENGTH	PRICE
FFWM.18	18”	$180
FFWM.34	34”	$180

NOTES

- Wire manager mounts to the bottom of a worksurface to manage cords
- Finish: Black with red zipper

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SHIELD Freestanding Laminate Panel Feet



DESCRIPTION

Freestanding laminate panel with feet.

NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Painted metal feet in Cloud White

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 7

ORDER EXAMPLE

product #: FZFS.4853
surface finish: M10 Espresso

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3045	45"	30"	$1,376
FZFS.3645	45"	36"	$1,469
FZFS.4245	45"	42"	$1,562
FZFS.4845	45"	48"	$1,652

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3053	53"	30"	$1,460
FZFS.3653	53"	36"	$1,568
FZFS.4253	53"	42"	$1,675
FZFS.4853	53"	48"	$1,784

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3060	60"	30"	$1,532
FZFS.3660	60"	36"	$1,715
FZFS.4260	60"	42"	$1,837
FZFS.4860	60"	48"	$1,958

SHIELD Freestanding Laminate Panel Casters



DESCRIPTION

Freestanding laminate panel with casters.

NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 7

ORDER EXAMPLE

product #: FZFSMOB.4845
surface finish: M10 Espresso

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4245	45"	42"	$1,768
FZFSMOB.4845	45"	48"	$1,861

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4253	53"	42"	$1,883
FZFSMOB.4853	53"	48"	$1,990

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4260	60"	42"	$1,986
FZFSMOB.4860	60"	48"	$2,107

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SHIELD Freestanding Markerboard Panel Feet



DESCRIPTION

Freestanding markerboard panel with feet.

NOTES

- Dimensions are actual
- Markerboard is 3/4” thick
- Painted metal feet in Cloud White

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FZFMBS.4853

45” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3045	45”	30”	$2,170
FZFMBS.3645	45”	36”	$2,421
FZFMBS.4245	45”	42”	$2,673
FZFMBS.4845	45”	48”	$2,923

53” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3053	53”	30”	$2,394
FZFMBS.3653	53”	36”	$2,690
FZFMBS.4253	53”	42”	$2,985
FZFMBS.4853	53”	48”	$3,279

60” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3060	60”	30”	$2,591
FZFMBS.3660	60”	36”	$2,985
FZFMBS.4260	60”	42”	$3,320
FZFMBS.4860	60”	48”	$3,653

SHIELD Freestanding Markerboard Panel Casters



DESCRIPTION

Freestanding markerboard panel with casters.

SPECIFICATION OPTIONS

product #: see charts below

NOTES

- Dimensions are actual
- Markerboard is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

ORDER EXAMPLE

product #: FZFMBSMOB.4845

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4245	45"	42"	$2,879
FZFMBSMOB.4845	45"	48"	$3,131

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4253	53"	42"	$3,192
FZFMBSMOB.4853	53"	48"	$3,488

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4260	60"	42"	$3,466
FZFMBSMOB.4860	60"	48"	$3,798

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

BEAM

Worksurface Planning Guide



* When worksurface is wrapped by Beam on 3 sides, width must be reduced one full size. For example: 70" worksurface becomes a 64"

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Laminate Insert Package



DESCRIPTION

Laminate insert packages for Beam posts

SPECIFICATION OPTIONS

product #: see charts below
laminate: see page 7

ORDER EXAMPLE

product #: FB-POST180-LAM
laminate: M28 Arctic

LAMINATE INSERT PACKAGE FOR INLINE POST 180°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST180-LAM	17.5”	3.5”			$142

NOTES

Includes
- (2) Short Inserts

LAMINATE INSERT PACKAGE FOR END OF RUN POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POSTEND-LAM	17.5”/25”	3.5”			$149

NOTES

Includes
- (1) Short Insert
- (1) Tall Insert

LAMINATE INSERT PACKAGE FOR 2-WAY POST 90°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST90-2-DLAM	17.5”/25”	3.5”			$297

NOTES

Includes
- (2) Short Inserts
- (2) Tall Inserts

LAMINATE INSERT PACKAGE FOR 3-WAY POST 90°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3LAM	17.5"/25"	3.5"			$292	Includes • (3) Short Inserts • (1) Tall Insert

LAMINATE INSERT PACKAGE FOR 4-WAY POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4LAM	17.5"	3.5"			$286	Includes • (4) Short Inserts

LAMINATE INSERT PACKAGE FOR 2-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2LAM	17.5"	3.5"			$142	Includes • (2) Short Inserts

LAMINATE INSERT PACKAGE FOR 3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3LAM	17.5"	3.5"			$213	Includes • (3) Short Inserts

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Gallery Panels Double Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 7
finish: see page 7

NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accomodate added depth from Privacy Screens

ORDER EXAMPLE

product #: FBGPEORD.3048
surface finish: M10 Espresso
finish: Silver SV

30" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.3048	30"	53.5"	1"	$898
FBGPEORD.3060	30"	65.5"	1"	$989

30" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.3048	30"	58"	1"	$988
FBGPEORD.PS.3060	30"	70"	1"	$1,087

42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.4248	42"	53.5"	1"	$1,070
FBGPEORD.4260	42"	65.5"	1"	$1,194

42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.4248	42"	58"	1"	$1,177
FBGPEORD.PS.4260	42"	70"	1"	$1,312

Gallery Panels Single Sided, End of Run



Left shown

DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accomodate added depth from Privacy Screens

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 7
finish: see page 7

ORDER EXAMPLE

product #: FBGPEORS.3024L
surface finish: M10 Espresso
finish: Silver SV

30" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.3024L	30"	29.5"	1"	$708
FBGPEORS.3024R	30"	29.5"	1"	$708
FBGPEORS.3030L	30"	35.5"	1"	$752
FBGPEORS.3030R	30"	35.5"	1"	$752

30" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.PS.3024L	30"	31"	1"	$780
FBGPEORS.PS.3024R	30"	31"	1"	$780
FBGPEORS.PS.3030L	30"	37"	1"	$827
FBGPEORS.PS.3030R	30"	37"	1"	$827

42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.4224L	42"	29.5"	1"	$815
FBGPEORS.4224R	42"	29.5"	1"	$815
FBGPEORS.4230L	42"	35.5"	1"	$878
FBGPEORS.4230R	42"	35.5"	1"	$878

42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.PS.4224L	42"	31"	1"	$897
FBGPEORS.PS.4224R	42"	31"	1"	$897
FBGPEORS.PS.4230L	42"	37"	1"	$965
FBGPEORS.PS.4230R	42"	37"	1"	$965

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Beam Mounted Screens



DESCRIPTION

Privacy screens for use with beam product

SPECIFICATION OPTIONS

product #: see charts below

NOTES

- For use with beam packages with screen support: i.e. FB-BEAM-42A-E
- Includes mounting hardware
- Actual screen is 7” shorter than Beam Package

ORDER EXAMPLE

product #: FB-FBS2436
fabric: PF1010-3 Slide Pewter

FABRIC COVERED SCREEN



PART #	WIDTH	HEIGHT	LIST
FB-FBS2436	29”	24”	$680
FB-FBS2442	35”	24”	$710
FB-FBS2448	41”	24”	$738
FB-FBS2454	47”	24”	$774
FB-FBS2460	53”	24”	$805
FB-FBS2466	59”	24”	$844
FB-FBS2472	65”	24”	$875

NOTES

- Price is for (1) screen
- Screens are magnetic, not tackable
- Passage and Terrain fabric not approved for this application

WORKSURFACES FOR USE WITH BEAM

Rectangular



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify grommet placement (see page 8
- Order base separately from MY-HITE pricebook

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 7
edge finish: see page 7

ORDER EXAMPLE

product #:FBRWS.2340
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12
grommet: GC (Rear Center)
grommet color: Cloud White

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

RECTANGULAR WORKSURFACE, 23" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.2340	1 1/8"	23"	40"	$431
FBRWS.2346	1 1/8"	23"	46"	$444
FBRWS.2352	1 1/8"	23"	52"	$525
FBRWS.2358	1 1/8"	23"	58"	$538
FBRWS.2364	1 1/8"	23"	64"	$618
FBRWS.2370	1 1/8"	23"	70"	$636
FBRWS.2376	1 1/8"	23"	76"	$776
FBRWS.2382	1 1/8"	23"	82"	$783

NOTES

- Sizes are actual for example FBRWS.2370 is 23" x 70"

RECTANGULAR WORKSURFACE, 29" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.2940	1 1/8"	29"	40"	$509
FBRWS.2946	1 1/8"	29"	46"	$525
FBRWS.2952	1 1/8"	29"	52"	$620
FBRWS.2958	1 1/8"	29"	58"	$636
FBRWS.2964	1 1/8"	29"	64"	$737
FBRWS.2970	1 1/8"	29"	70"	$752
FBRWS.2976	1 1/8"	29"	76"	$927
FBRWS.2982	1 1/8"	29"	82"	$934

NOTES

- Sizes are actual for example FBRWS.2970 is 29" x 70"

RECTANGULAR WORKSURFACE, 35" DEEP

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBRWS.3540	1 1/8"	35"	40"	$537
FBRWS.3546	1 1/8"	35"	46"	$545
FBRWS.3552	1 1/8"	35"	52"	$956
FBRWS.3558	1 1/8"	35"	58"	$966
FBRWS.3564	1 1/8"	35"	64"	$977
FBRWS.3570	1 1/8"	35"	70"	$988
FBRWS.3576	1 1/8"	35"	76"	$997
FBRWS.3582	1 1/8"	35"	82"	$1,140

NOTES

- Sizes are actual for example FBRWS.3570 is 35" x 70"

Corner



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add grommet (add $75 list) Specify grommet placement (see page 8)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #: FBCWS.2340
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)
grommet color: Cloud White

CORNER WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	PRICE
FBCWS.2340	1 1/8"	23"	40"	$710
FBCWS.2346	1 1/8"	23"	46"	$750
FBCWS.2940	1 1/8"	29"	40"	$772
FBCWS.2946	1 1/8"	29"	46"	$811

NOTES

- Sizes are actual for example FBCWS.2346 is 23" x 46"

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

90° Extended Curved Corner



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add $75 list) Specify grommet placement (see page 8)
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FBECCWS.23345823L
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

23" D CONNECTING SIDE
23" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23345823L	1 1/8"	23"	34"	58"	23"	$814
FBECCWS.23345823R	1 1/8"	23"	34"	58"	23"	$814
FBECCWS.23346423L	1 1/8"	23"	34"	64"	23"	$906
FBECCWS.23346423R	1 1/8"	23"	34"	64"	23"	$906
FBECCWS.23347023L	1 1/8"	23"	34"	70"	23"	$922
FBECCWS.23347023R	1 1/8"	23"	34"	70"	23"	$922
FBECCWS.23347623L	1 1/8"	23"	34"	76"	23"	$1,104
FBECCWS.23347623R	1 1/8"	23"	34"	76"	23"	$1,104
FBECCWS.23348223L	1 1/8"	23"	34"	82"	23"	$1,225
FBECCWS.23348223R	1 1/8"	23"	34"	82"	23"	$1,225

29" D CONNECTING SIDE
29" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29345829L	1 1/8"	29"	34"	58"	29"	$891
FBECCWS.29345829R	1 1/8"	29"	34"	58"	29"	$891
FBECCWS.29346429L	1 1/8"	29"	34"	64"	29"	$985
FBECCWS.29346429R	1 1/8"	29"	34"	64"	29"	$985
FBECCWS.29347029L	1 1/8"	29"	34"	70"	29"	$997
FBECCWS.29347029R	1 1/8"	29"	34"	70"	29"	$997
FBECCWS.29347629L	1 1/8"	29"	34"	76"	29"	$1,181
FBECCWS.29347629R	1 1/8"	29"	34"	76"	29"	$1,181
FBECCWS.29348229L	1 1/8"	29"	34"	82"	29"	$1,298
FBECCWS.29348229R	1 1/8"	29"	34"	82"	29"	$1,298

23” D CONNECTING SIDE
23” D EXTENSION
40” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23405823L	1 1/8”	23”	40”	58”	23”	$980
FBECCWS.23405823R	1 1/8”	23”	40”	58”	23”	$980
FBECCWS.23406423L	1 1/8”	23”	40”	64”	23”	$1,102
FBECCWS.23406423R	1 1/8”	23”	40”	64”	23”	$1,102
FBECCWS.23407023L	1 1/8”	23”	40”	70”	23”	$1,119
FBECCWS.23407023R	1 1/8”	23”	40”	70”	23”	$1,119
FBECCWS.23407623L	1 1/8”	23”	40”	76”	23”	$1,355
FBECCWS.23407623R	1 1/8”	23”	40”	76”	23”	$1,355
FBECCWS.23408223L	1 1/8”	23”	40”	82”	23”	$1,514
FBECCWS.23408223R	1 1/8”	23”	40”	82”	23”	$1,514

29” D CONNECTING SIDE
29” D EXTENSION
40” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29405829L	1 1/8”	29”	40”	58”	29”	$1,055
FBECCWS.29405829R	1 1/8”	29”	40”	58”	29”	$1,055
FBECCWS.29406429L	1 1/8”	29”	40”	64”	29”	$1,177
FBECCWS.29406429R	1 1/8”	29”	40”	64”	29”	$1,177
FBECCWS.29407029L	1 1/8”	29”	40”	70”	29”	$1,195
FBECCWS.29407029R	1 1/8”	29”	40”	70”	29”	$1,195
FBECCWS.29407629L	1 1/8”	29”	40”	76”	29”	$1,432
FBECCWS.29407629R	1 1/8”	29”	40”	76”	29”	$1,432
FBECCWS.29408229L	1 1/8”	29”	40”	82”	29”	$1,588
FBECCWS.29408229R	1 1/8”	29”	40”	82”	29”	$1,588

23” D CONNECTING SIDE
23” D EXTENSION
46” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23465823L	1 1/8”	23”	46”	58”	23”	$994
FBECCWS.23465823R	1 1/8”	23”	46”	58”	23”	$994
FBECCWS.23466423L	1 1/8”	23”	46”	64”	23”	$1,119
FBECCWS.23466423R	1 1/8”	23”	46”	64”	23”	$1,119
FBECCWS.23467023L	1 1/8”	23”	46”	70”	23”	$1,144
FBECCWS.23467023R	1 1/8”	23”	46”	70”	23”	$1,144
FBECCWS.23467623L	1 1/8”	23”	46”	76”	23”	$1,393
FBECCWS.23467623R	1 1/8”	23”	46”	76”	23”	$1,393
FBECCWS.23468223L	1 1/8”	23”	46”	82”	23”	$1,562
FBECCWS.23468223R	1 1/8”	23”	46”	82”	23”	$1,562

29” D CONNECTING SIDE
29” D EXTENSION
46” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29465829L	1 1/8”	29”	46”	58”	29”	$1,071
FBECCWS.29465829R	1 1/8”	29”	46”	58”	29”	$1,071
FBECCWS.29466429L	1 1/8”	29”	46”	64”	29”	$1,195
FBECCWS.29466429R	1 1/8”	29”	46”	64”	29”	$1,195
FBECCWS.29467029L	1 1/8”	29”	46”	70”	29”	$1,221
FBECCWS.29467029R	1 1/8”	29”	46”	70”	29”	$1,221
FBECCWS.29467629L	1 1/8”	29”	46”	76”	29”	$1,469
FBECCWS.29467629R	1 1/8”	29”	46”	76”	29”	$1,469
FBECCWS.29468229L	1 1/8”	29”	46”	82”	29”	$1,631
FBECCWS.29468229R	1 1/8”	29”	46”	82”	29”	$1,631

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Rectangular Extension Freestanding Application



With Flat Brackets installed

DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 7
edge finish: see page 7

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 Stage base only)

ORDER EXAMPLE

product #: FBRWS.2324
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

RECTANGULAR WORKSURFACE



STANDARD GRAIN

PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST
FBRWS.2324	1 1/8"	23"	24"	$339
FBRWS.2330	1 1/8"	23"	30"	$388
FBRWS.2336	1 1/8"	23"	36"	$400
FBRWS.2924	1 1/8"	29"	24"	$449
FBRWS.2930	1 1/8"	29"	30"	$512
FBRWS.2936	1 1/8"	29"	36"	$526

NOTES

- Standard default grain direction is left to right (See left)



CROSS GRAIN

PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST
FBRWS.2324-CG	1 1/8"	23"	24"	$405
FBRWS.2330-CG	1 1/8"	23"	30"	$464
FBRWS.2336-CG	1 1/8"	23"	36"	$480
FBRWS.2924-CG	1 1/8"	29"	24"	$539
FBRWS.2930-CG	1 1/8"	29"	30"	$615
FBRWS.2936-CG	1 1/8"	29"	36"	$631

NOTES

- Cross grain direction is front to back (See left)

D-Shaped



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify grommet placement (see page 8)
- Order base separately from MY-HITE pricebook

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #:FBEDSP.2346
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White



Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FBEDSP.2346	1 1/8"	46"	23"	—	—	$649
FBEDSP.2358	1 1/8"	58"	23"	—	—	$724
FBEDSP.2946	1 1/8"	46"	29"	—	—	$712
FBEDSP.2958	1 1/8"	58"	29"	—	—	$790
FBEDSP.2970	1 1/8"	70"	29"	—	—	$861
FBEDSP.3570	1 1/8"	70"	35"	—	—	$952

NOTES

- Sizes are actual for example FBEDSP.2346 is 23" x 46"
- Power Grommet not available on 46"W D-Tops

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Wedge



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify grommet placement (see page 8)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #:FBWDWS.234029
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White

23"D LEFT
29"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.234029	1 1/8"	23"	40"	29"	—	$504
FBWDWS.234629	1 1/8"	23"	46"	29"	—	$513
FBWDWS.235229	1 1/8"	23"	52"	29"	—	$583
FBWDWS.235829	1 1/8"	23"	58"	29"	—	$624
FBWDWS.236429	1 1/8"	23"	64"	29"	—	$696
FBWDWS.237029	1 1/8"	23"	70"	29"	—	$712
FBWDWS.237629	1 1/8"	23"	76"	29"	—	$826

29"D LEFT
23"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.294023	1 1/8"	29"	40"	23"	—	$504
FBWDWS.294623	1 1/8"	29"	46"	23"	—	$513
FBWDWS.295223	1 1/8"	29"	52"	23"	—	$583
FBWDWS.295823	1 1/8"	29"	58"	23"	—	$624
FBWDWS.296423	1 1/8"	29"	64"	23"	—	$696
FBWDWS.297023	1 1/8"	29"	70"	23"	—	$712
FBWDWS.297623	1 1/8"	29"	76"	23"	—	$826

120° Corner / 90° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify grommet placement (see page 8)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #:FB120-90WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: 120GR
grommet color: Cloud White

120° CORNER
90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-90WS.2334	1 1/8"	23"	34"	—	—	$930
FB120-90WS.2340	1 1/8"	23"	40"	—	—	$1,145
FB120-90WS.2346	1 1/8"	23"	46"	—	—	$1,427

120° Corner / 120° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify grommet placement (see page 8)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 7
worksurface finish: see page 7

ORDER EXAMPLE

product #:FB120-120WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: 120GR

120° CORNER
120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-120WS.2334	1 1/8"	23"	34"	—	—	$930
FB120-120WS.2340	1 1/8"	23"	40"	—	—	$1,145
FB120-120WS.2346	1 1/8"	23"	46"			$1,427

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.