


TABLE OF CONTENTS

| INTRODUCTION Pattern Direction Fabric Direction Guide COM Form | 3 4-57 67 | Worksurface Thickness Guide Laminate Grain Direction Guide | 68 69-75 |
|--|-----------------|---|-------------|
| | | | |
| FABRIC | | SILKY Memo Samples | 35 |
| JOURNEY | | System 2 | 36 |
| Memo Samples | 4 | Novo | 38 |
| System 2 | 5 | Interra | 40 |
| Novo | 7 | Dash | 41 |
| Interra | 9 | Verity | 42 |
| Dash | 10 | My-Hite & Beam | 44 |
| Verity | 11 | | |
| My-Hite & Beam | 13 | SKY | 10 |
| | | Memo Samples | 46 |
| PASSAGE | 1- | System 2 | 47 |
| Memo Samples | 15 | Novo | 49 E1 |
| System 2 | 16 | Interra Dash | 51 52 |
| Novo | 17 | Verity | 52 |
| Interra | 18 | My-Hite & Beam | 55 |
| TERRAIN | | Hy The & Dean | 55 |
| Memo Samples | 19 | STICKS | |
| System 2 | 20 | Memo Samples | 57 |
| Novo | 21 | System 2 | 58 |
| Interra | 22 | Novo | 60 |
| | | Interra | 62 |
| SLIDE | | Dash | 63 |
| Memo Samples | 23 | Verity | 64 |
| System 2 | 25 | My-Hite & Beam | 66 |
| Novo | 27 | COM Form | 67 |
| Interra | 29 | COM Form | 67 |
| Dash Verity | 30 31 | LAMINATE | |
| My-Hite & Beam | 33 | Worksurface Thickness Guide | 68 |
| | | Laminate Grain Direction | 00 |
| | | Worksurfaces | 69 |
| | | Panels | 69 73 |
| | | r uneis | /3 |

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.




- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.







Memo Sample

Non-Directional Application Shown







Novo, Fabric Direction Guide




Novo, Fabric Direction Guide




Interra, Fabric Direction Guide




Dash, Fabric Direction Guide




Verity, Fabric Direction Guide




Verity, Fabric Direction Guide



My-Hite & Beam, Fabric Direction Guide




My-Hite & Beam, Fabric Direction Guide



Passage - PF601


- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.



PF601-8 Amber

Memo Sample Non-Directional Application Shown

Passage - PF601



passage

Passage - PF601

Novo, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|-------------------|-----------|-------------------|-------------|
| Monolithic Panels | 85H | Directional | NA |
| Mononthic Panels | 32 - 67H | Non-Directional | Directional |
| Segmented Panels | All Sizes | Non-Directional | Directional |


Passage - PF601

Interra, Fabric Direction Guide


| | | GROUP 1 (Default) | GROUP 5 |
|----------------------|-----------|-------------------|---------|
| Fabric Covered Tiles | All Sizes | Directional | NA |

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.






Memo Sample Non-Directional Application Shown



Novo, Fabric Direction Guide




Interra, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|----------------------|-----------|-------------------|---------|
| Fabric Covered Tiles | All Sizes | Directional | NA |

- Although Slide pattern does not have a large repeat/pattern, appearance may vary especially in different lighting
- Appearance may also vary when applied directionally versus non-directionally.


Memo Sample Non-Directional Application Shown



| PF 101-1 Caramel | PF101-2 Slate | PF101-3 Pewter | PF101-4 Verde |
|------------------|---------------|-------------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| PF101-6 Vintage | PF101-7 Java | PF 101-9 Sterling | PF101-10 Crema |
| | | | |

| PF101-13 Mustard | PF101-14 Avocado | PF101-15 Pumpkin | PF101-16 Ocean |
|--------------------|-------------------|-------------------|-------------------|
| PF101-17 Blueberry | PF101-18 Cardinal | PF101-19 Flamingo | PF101-20 Serenity |
| PF101-21 Azure | PF101-22 Orchid | PF101-23 Plum | PF101-24 Raven |


| GROUP 1 (Default) | | | GROUP 5 |
|--|-----------|-----------------|-------------|
| Denele | 85H | Directional | NA |
| Panels | 32 - 67H | Non-Directional | Directional |
| Tackboards 8 or 16H | 24 - 60 W | Non-Directional | Directional |
| Fabric Covered Flipper Doors 16H | 24 - 60 W | Non-Directional | Directional |



Novo, Fabric Direction Guide

| GROUP 1 (Default) | | | GROUP 5 |
|------------------------|-----------|-----------------|-------------|
| Monolithic Panels | 85H | Directional | NA |
| | 32 - 67H | Non-Directional | Directional |
| Segmented Panels | All Sizes | Non-Directional | Directional |
| Tackboards 8 or 16H | 24 - 48W | Non-Directional | Directional |

Novo, Fabric Direction Guide



Interra, Fabric Direction Guide

| | GROUP 1 (Default) | | |
|----------------------|-------------------|-----------------|-------------|
| Fabric Covered Tiles | All Sizes | Directional | NA |
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | Directional |


Dash, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|---|-----------|-------------------|-------------|
| Wall Mounted Tackboards 12 - 28H > 09 99 99 90 99 90 90 90 90 90 90 90 90 9 | 1 | Non-Directional | NA |
| | 36 - 60 W | Non-Directional | Directional |
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | Directional |

Verity, Fabric Direction Guide

| GROUP 1 (Default) | | | GROUP 5 |
|---|-----------|-----------------|-------------|
| Track Mounted | | Non-Directional | NA |
| Tackboards 14 - 18H | 36 - 60 W | Non-Directional | Directional |
| Worksurface Mounted Tackboards 14 - 18H | 22 - 28 W | Non-Directional | Directional |
| Supporting Cabinet Tackboards 15H | 24 -30 W | Non-Directional | Directional |


Verity, Fabric Direction Guide



My-Hite & Beam, Fabric Direction Guide


| | GROUP 1 (Default) | | |
|--|-------------------|-----------------|-------------|
| Worksurface Mounted Tackboards 14H | 66 - 72 W | Non-Directional | NA |
| | 24 - 60 W | Non-Directional | Directional |
| Beam Mounted Screens | 66 - 72 W | Non-Directional | NA |
| 24H | 36 - 60 W | Non-Directional | Directional |

My-Hite & Beam, Fabric Direction Guide



Silky - PF401

- Although Silky pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.
- Appearance may also vary when applied directionally versus non-directionally.




Memo Sample



Silky - PF401

| | | GROUP 1 (Default) | GROUP 5 |
|--|-----------|---|-------------|
| Panels | 85H | Directional | NA |
| | 32 - 67H | | Directional |
| Tackboards 8 or 16H | 24 - 60 W | Image: Structure Difference Image: Struct | |
| Fabric Covered Flipper Doors 16H | 24 - 60 W | 1 | Directional |


System 2, Fabric Direction Guide



Novo, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|------------------------|-----------|-------------------|-------------|
| | 85H | Directional | NA |
| Monolithic Panels | 32 - 67H | | Directional |
| Segmented Panels | All Sizes | Non-Directional | Directional |
| Tackboards 8 or 16H | 24 - 48W | Non-Directional | Directional |

Novo, Fabric Direction Guide



Interra, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|----------------------|-----------|------------------------|---------|
| Fabric Covered Tiles | All Sizes | Directional | NA |
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | |


Dash, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|--|-----------|---|-------------|
| Wall Mounted Tackboards 12 - 28H | 66 - 84 W | I I | NA |
| | 36 - 60 W | I I | Directional |
| Privacy Screens 24H | 72 W | Non-Directional | NA |
| | 42 - 66 W | <pre></pre> | |

Verity, Fabric Direction Guide

| | GROUP 1 (Default) | | |
|---|-------------------|---|----|
| Track Mounted Tackboards 14 - 18H | 66 - 84 W | 1 1 | NA |
| | 36 - 60 W | | |
| Worksurface Mounted Tackboards 14 - 18H | 22 - 28 W | I I | |
| Supporting Cabinet Tackboards 15H | 24 -30 W | 1 1 | |


Verity, Fabric Direction Guide



My-Hite & Beam, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|--|-----------|---|-------------|
| Worksurface Mounted Tackboards 14H | 66 - 72 W | <pre></pre> | NA |
| | 24 - 60 W | <pre></pre> | |
| Beam Mounted Screens | 66 - 72 W | Image: Sector | NA |
| 24H | 36 - 60 W | I | Directional |

My-Hite & Beam, Fabric Direction Guide



- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.







Memo Sample

Non - Directional Application Shown


System 2, Fabric Direction Guide




System 2, Fabric Direction Guide




Novo, Fabric Direction Guide




Novo, Fabric Direction Guide




Interra, Fabric Direction Guide




Dash, Fabric Direction Guide




Verity, Fabric Direction Guide




Verity, Fabric Direction Guide



My-Hite & Beam, Fabric Direction Guide



My-Hite & Beam, Fabric Direction Guide



• Although Sticks pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.

Memo Sample Non-Directional Application Shown

• Appearance may also vary when applied directionally versus non-directionally.





System 2, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|--|-----------|-------------------|-------------|
| Panels | 85H | Directional | NA |
| Faileis | 32 - 67H | Non-Directional | Directional |
| Tackboards 8 or 16H | 24 - 60 W | Non-Directional | Directional |
| Fabric Covered Flipper Doors 16H | 24 - 60 W | Non-Directional | Directional |

System 2, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|-----------------|-----------|-------------------|-------------|
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | Directional |

Novo, Fabric Direction Guide

| | _ | GROUP 1 (Default) | GROUP 5 |
|------------------------|-----------|-------------------|-------------|
| | 85H | Directional | NA |
| Monolithic Panels | 32 - 67H | Non-Directional | Directional |
| Segmented Panels | All Sizes | Non-Directional | Directional |
| Tackboards 8 or 16H | 24 - 48W | Non-Directional | Directional |

Novo, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|-----------------|-----------|-------------------|-------------|
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | Directional |

Interra, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|----------------------|-----------|-------------------|-------------|
| Fabric Covered Tiles | All Sizes | Directional | NA |
| Privacy Screens | 72 W | Non-Directional | NA |
| 24H | 42 - 66 W | Non-Directional | Directional |

Dash, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|--|-----------|-------------------|-------------|
| Wall Mounted Tackboards 12 - 28H | 66 - 84 W | Non-Directional | NA |
| | 36 - 60 W | Non-Directional | Directional |
| Privacy Screens 24H | 72 W | Non-Directional | NA |
| | 42 - 66 W | Non-Directional | Directional |

Sticks-501

Verity, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 |
|---|-----------|-------------------|-------------|
| Track Mounted | 66 - 84 W | Non-Directional | NA |
| Tackboards 14 - 18H | 36 - 60 W | Non-Directional | Directional |
| Worksurface Mounted Tackboards 14 - 18H | 22 - 28 W | Non-Directional | Directional |
| Supporting Cabinet Tackboards 15H | 24 -30 W | Non-Directional | Directional |

Verity, Fabric Direction Guide

| | - | GROUP 1 (Default) | GROUP 5 | |
|-----------------------------|-----------|-------------------|-------------|--|
| Privacy Screens 24 & 39H | 72 W | Non-Directional | NA | |
| | 42 - 66 W | Non-Directional | Directional | |

Sticks-501

My-Hite & Beam, Fabric Direction Guide

| | | GROUP 1 (Default) | GROUP 5 | |
|--|-----------|-------------------|-------------|--|
| Worksurface Mounted Tackboards 14H | 66 - 72 W | Non-Directional | NA | |
| | 24 - 60 W | Non-Directional | Directional | |
| Beam Mounted Screens 24H | 66 - 72 W | Non-Directional | NA | |
| | 36 - 60 W | Non-Directional | Directional | |

COM Form

| | | | | | Customer's Own Material (COM) Form | | |
|---|---------------------------------|------------------|---------------------------|--|--|---|--|
| FRÍANT ALL WORKSTYLES WELCOME | Date: | | | recommended but not required | | | |
| Customer's Own Material (COM) Form | | | | | | | |
| For testing of new COM fabrics and application directions on previously approved fabrics ONLY ONE FABRIC PER FORM | | | reviously approved fab | rics | FABRIC DIRECTION SAMPLE | | |
| Testing (Must be submitted prior to order submission) | | | | | |) | |
| To indicate direction for order application (Must be submitted along with PO to orders@friant.com) | | | | rs@friant.com) | top of panel | | |
| Directions for COM Testing | | | | , | | | |
| 1. Attach 2.5 yards of the fabric to this fo | orm. (If testing on more t | han one produc | t, attach 2.5 yards of fa | bric per product.) | | | |
| 2. Forward the completed test form and test fabric to the address below: Firiant & Associates Attr Fabric Department 1980 West Ave 140th, San Leandro, CA 94577 3. Provide Customer Service Representative with tracking for test fabric. 4. Please allow 5 business days (from receipt of Sample by Friant) for testing and notification of written approval by | | | | en approval by | | | |
| your Customer Service Representativ | | | | | | | |
| Additional Notes for COM Order Application | | | | | | | |
| Leadtime does not begin until the COM fabric is approved and the COM form / tracking number are provided to Customer Service Representative. Contact Customer Service Representative for yardage required. | | | | | | | |
| 3. Contact Customer Service Represent DEALER INFORMATION | tative to confirm the Fri | ant Plant the ac | tual order fabric shoul | d be sent to. | | | |
| PO NUMBER (not read for testing) | | | | | Staple fabric sample here to indicate fabric direction | | |
| DEALER CONTACT DEALERSHIP | | | | | | | |
| ADDRESS | CITY STATE ZIP | | | ZIP | | | |
| PHONE # | EMAIL FRIANT CUSTOMER SERVICE R | | RVICE REP | | | | |
| FABRIC INFORMATION | | | | | | | |
| FABRIC MANUFACTURER | | MANUFACTUR | ER PHONE # | | | | |
| PATTERN NAME PATTERN # | | | | | | | |
| COLOR NAME | | COLOR # | | | | | |
| YARDAGE SENT FOR TESTING (RECOMME | ENDED 2.5 YDS PER PROD | UCT TEST) | | | | | |
| FABRIC TO BE APPLIED TO | | | | | | | |
| SYSTEM 2 & NOVO SEA | AT CUSHIONS | FLIPPER DOO | RS | | | | |
| | CKBOARDS | PRIVACY SCR | EEN | | bottom of panel | | |
| FABRIC DIRECTION REQUIRED | | | | | | ノ | |
| | ағи [| DIRECTIONAL | | | | | |
| 1980 West Ave 140th, San Leandro, CA 94577 / T: 877-828-0410 / F: 510.5355.5237 / www.friant.com pg 1 of 2 | | | | 1980 West Ave 140th, San Leandro, CA 94577 / T: 877-828-0410 / F: 510.535.5237 / www.friant.com Aug 2019 pc | g 2 of 2 | | |

Worksurface Thickness

| Product Line | 1" | 1 1/8" | 1 3/16" |
|---------------|----|--------|---------|
| Beam | | | |
| Dash | | | |
| Interra | | | |
| Mesa-Laminate | | | |
| My-Hite | | | |
| Novo | | | |
| System 2 | | | |
| Verity | | | |


*My-Hite tops for use with individual system matches the thickness of the system.

*Gitana thicknesses vary and do not match other product lines.


Laminate Grain Direction Guide

- Refer to this guide for default laminate grain direction.
- If any items require alternative grain directions, please contact Customs for assistance
- Some products will have a random grain direction, as noted in the following guide. If a specific grain direction is needed for these items, please contact Customs for assistance.
- For all edge banding, grain direction will run along the length of the edge band. See image below:


Edge Banding Grain Direction




Worksurfaces




Worksurfaces




Worksurfaces




Panels




Panels



Panels




Tabletops, Credenzas, Peds, Laterals, and Overheads



grain direction

Laminate Grain Direction

Towers, Bookcases, and 2 Stage



Casegoods

